

Safety Data Sheet according to regulation (EC) N°1907/2006, 1272/2008(CLP) & 453/2010
Date Revised : 10.08.2017 Revision : 02
Product : **GLASSBOND SAUEREISEN TEMPSEAL CEMENT PASTE N°3 MOD 18**

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/ MIXTURE AND OF THE COMPANY/UNDERTAKING**1.1 Product Identifier**

Product name : **GLASSBOND SAUEREISEN TEMPSEAL CEMENT PASTE N°3 MOD 18**
REACH notes : Mixture- Substances contained in this product that are not classified as hazardous have been/will be registered for REACH at the appropriate time.

1.2 Relevant identified uses of the mixture and uses advised against.

Identified use : Potting and encapsulation for electrical insulation
Uses advised against : No other uses

1.3 Details of the supplier of the safety data sheet

Company identification Glassbond (NW) Ltd
West Side Industrial Estate
Jackson Street
St. Helens
Merseyside WA9 3AT
United Kingdom

Telephone +44(0)1744 730334
Fax +44(0)1744 451661
Email technical@glassbond.co.uk

1.4 Emergency telephone number +44(0)1744 730334
(GMT, English spoken, Mon-Friday; 08.30-16.30)

SECTION 2 : HAZARDS IDENTIFICATION***2.1 Classification of the mixture: calculation method**

2.1.1 Regulation (EC) No. 1272/2008(CLP)
Physical/Chemical NOT CLASSIFIED
Human health NOT CLASSIFIED
Environmental NOT CLASSIFIED

2.1.2 Directive 1999/45/EC(DPD) Not classified

2.2 Label elements According to Regulation (EC) No. 1272/2008(CLP)

NONE

SIGNAL WORD (S) NONE

HAZARD STATEMENT(S) NONE

PRECAUTIONARY STATEMENT(S)

2.3 Other Hazards

PBT : This mixture contains no substances considered as PBT

vPvB: This mixture contains no substances considered as vPvB

2.4 Additional information

For full text of H/P phrases see section 16 if not written out in full above.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS*

3.1 Substances . (This product is a mixture according to EU legislation.)

3.2 Mixture of none hazardous inorganic powders

Hazardous ingredient	% w/w	CAS N°	EC N°	REACH N°	CPL EC 1272/2008
Lithium silicate	<10	12627-14-4	235-730-0	Pre registered	H319: H315

3.3 Additional information

For full text of H/P phrases see section 16 if not written out in full above.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General advice	Immediately remove contaminated clothing, take care not to contaminate unaffected areas.
Inhalation	No emergency care anticipated, other than removal from exposure.
Eyes	Rinse immediately with running water for at least 15 minutes holding the eyelid open; consult an eye specialist.
Skin	Wash thoroughly with water and soap If skin irritation or rash occurs get medical attention (P333+P313)
Ingestion	Immediately rinse the mouth with water and drink plenty of water. Obtain medical attention immediately, show this safety data sheet.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms	Eye contact- May cause temporary eye irritation.
Risks	No information available

4.3 Indication of any immediate medical attention and special treatment needed

Treatment	Treat according to symptoms (decontamination, vital functions), no known specific antidote.
-----------	---------------------------------------------------------------------------------------------

SECTION 5 : FIRE FIGHTING MEASURES

5.1 Extinguishing media:

Suitable: CO2 or dry chemical spray, water spray may help to reduce the temperature and extinguish flames for surrounding materials.
Unsuitable: High pressure water jet.

5.2 Special hazards arising from the mixture

The paste will not burn but the packaging is combustible.

5.3 Advice for fire fighters

Normal precautions are satisfactory.

Further information: The degree of risk is governed by the burning substance and the fire conditions. Contaminated extinguishing media must be disposed of in accordance with official regulation.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal Precautions, protective equipment and emergency procedures

Use personal protective clothing.

6.2 Environmental Precautions

Prevent contamination of soil, drains and surface waters. Do not discharge contaminated water/ fire-fighting water into drains/ surface water/ groundwater.

6.3 Methods and material for containment and cleaning up

Soak up with inert absorbent (e.g. sand). Collect spillage by scraping up. Dispose of material in accordance with official regulations.

6.4 Reference to other sections

For personal protection see section 8 and disposal section 13

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling For PPE see section 8. Contaminated clothing should not be allowed out of the workplace (P272). Wash contaminated clothing before reuse (P363)
 Advice on protection Normal measures for preventive fire protection against fire and explosion

7.2 Conditions for safe storage, including any incompatibilities

Keep containers tightly closed. The paste should be stored under cover, in a well ventilated, cool, dry place and away from direct sunlight or heat.
 Protect from temperatures below : 4°C
 Protect from temperatures above : 35 °C
 Suitable storage materials : Original containers.
 Higher temperatures will reduce the shelf life of the product.
 Under normal conditions (21°C) a shelf life of 3 months or more is possible.

7.3 Specific end use(s) As per section 1.2

SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits: OEL (Occupational Exposure Standard OES)

	mg/m ³	ppm	Note
TWA			(EH40 UK) OES 8 hr
STEL			(EH40 UK)
TWA			(EH40 UK)
STEL			(EH40 UK)
TWA			(EH40 UK)
STEL			(EH40 UK)

8.1.2 Biological limit value Not available

8.1.3 PNECs and DNELs Not available

8.2 Exposure Controls

8.2.1 Appropriate engineering controls: Effective exhaust ventilation system

8.2.2 Personal Protective Equipment:

Eye/face Protection Tightly fitting safety goggles (e.g. EN166)
 Skin Protection/ Hand Gloves: Chemical resistant gloves (e.g. EN374) Butyl rubber: 0.7 mm coating thickness. Nitrile rubber: 0.4 mm coating thickness. Check with PPE manufacturer. Replace immediately if signs of degradation are observed. Wear closed work clothing.
 Other
 Respiratory Protection Should not be required under normal working conditions
 Hygiene measures General industrial hygiene practice

8.2.3 Environmental exposure controls
 No special environmental precautions required

SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

9.1 information on basic physical and chemical properties

APPEARANCE	Paste	COLOUR	White
ODOUR	None	ODOUR THRESHOLD ppm	Not Available
pH VALUE	9-11	RELATIVE DENSITY	2.5 g/ml
MELTING POINT/FREEZING PT	0°C	SOLUBILITY IN WATER @ 20°C	Partially soluble
INITIAL BOILING POINT/RANGE	100°C	PARTITION COEFFICIENT (n-octanol/water)	Not available
FLASHPOINT °C	Not applicable	AUTO IGNITION TEMPERATURE	Not available
EVAPORATION RATE	Not applicable	DECOMPOSITION TEMPERATURE °C	Not available
FLAMMABILITY (SOLID/GAS)	Not applicable	VISCOSITY mPa.s @ 20°C	17000-18000 cps
UPPER EXPLOSIVE LIMIT	Not Available	EXPLOSIVE PROPERTIES	Not available
LOWER EXPLOSIVE LIMIT	Not Available	OXIDIZING PROPERTIES	Not oxidising
VAPOUR PRESSURE	Not applicable		
VAPOUR DENSITY (AIR=1)	Not applicable		

9.2 Other information

SECTION 10 : STABILITY AND REACTIVITY

10.1 Reactivity	Stable under normal conditions.
10.2 Chemical Stability	Stable under recommended storage and handling conditions.
10.3 Possibility of Hazardous reactions	No dangerous reaction known under conditions of normal use
10.4 Conditions to Avoid	No decomposition if stored and applied as directed.
10.5 Incompatible materials	Acids. Reacts with aluminium, zinc and alloys of these metals with liberation of hydrogen, which is flammable and forms an explosive mixture with air.
10.6 Hazardous Decomposition Products.	Hydrogen, by reaction with metals.

SECTION 11 : TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects of the mixture

Acute toxicity The poisonous effect of the product is caused by its basicity and not by substance-specific systemic characteristics. The LD50 value is of no practical significance due to the caustic effect of the product.

LD ₅₀ ORAL TOXICITY RATS	mg/kg
LD ₅₀ DERMAL TOXICITY RATS	ml/kg
LC ₅₀ INHL TOXICITY IN RATS	mg/kg
LD ₅₀ ORAL TOXICITY RATS	mg/kg
LD ₅₀ DERMAL TOXICITY RABBITS	mg/kg
LC ₅₀ INHL TOXICITY IN RATS	mg/kg

Skin corrosion/ irritation	Contains component that may irritate skin
Serious eye damage / irritation	Contains component that may irritate eyes
Respiratory or skin sensitisation	Not classified
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified

Reproductive toxicity	Not classified
STOT SE (SINGLE exposure)	Not classified
STOT RE (REPEATED exposure)	Not classified
Aspiration hazard	Not classified

11.2 Other information

Health injuries are not known or expected under normal use.

SECTION 12 : ECOLOGICAL INFORMATION

12.1 Toxicity NOT AVAILABLE

LL ₅₀ Fish	(96 hr)	>100 Lithium silicate	mg/l	
EC ₅₀ Invertebrates	(48 hr)	>800 Lithium silicate	mg/l	Daphnia magna
EL ₅₀ Algae	(72hr)		mg/l	Selenastrum capricornutum
LL ₅₀ Fish	(96 hr)		mg/l	Lepomis macrochirus
EC ₅₀ Invertebrates	(48 hr)		mg/l	Daphnia magna
EL ₅₀ Algae	(72hr)		mg/l	Selenastrum capricornutum

Micro organisms/ effect upon activated sludge

EC₅₀ Bacteria (3.0 hr) mg/l Activated sludge, domestic

12.2 Persistence and degradability Decomposition: not applicable, inorganic product.

12.3 Bioaccumulative potential Not available

12.4 Mobility By appropriate dumping into biological water treatment plants no disruptive effect on the activity of activated sludge is to be expected.

12.5 Results of PBT and vPvB assessment PBT : This mixture contains no substances considered as PBT

vPvB: This mixture contains no substances considered as vPvB

12.6 Other adverse effects

When introducing acid or alkaline products into sewage disposal plants, the waste water must not be above or below a pH value of 6 to 10, for a displacement of the ph-value may cause disturbances in sewers and biological sewage works. Local rules have priority.

SECTION 13 : DISPOSAL CONSIDERATION

13.1 Waste treatment methods

The preparation must be disposed of by special means. Dispose by landfill via a licensed waste disposal contractor in accordance with local and national regulations.

Contaminated packaging should be emptied as far as possible, they can then be recycled after being thoroughly cleaned by a licensed contractor. Labels must not be removed from containers until they have been cleaned. Packaging materials that are not contaminated should be treated as household waste or as recycling material.

13.2 Additional information

The UK Environmental Protection (Duty of Care) regulations (EP) and amendments should be noted (United Kingdom)

Dispose of contents/ container according to the end user disposal procedure (P501)

SECTION 14 - TRANSPORT INFORMATION

14.1 UN number NOT CLASSIFIED
ADR
RID
IMDG
IATA
ADN

14.2 Proper shipping name NOT CLASSIFIED
ADR
RID
IMDG
IATA
ADN

14.3 Transport Hazard Class NOT CLASSIFIED
ADR
RID
IMDG
IATA
ADN

14.4 Packing Group NOT CLASSIFIED
ADR
RID
IMDG
IATA
ADN

14.5 Environmental hazards NOT CLASSIFIED
ADR
RID
IMDG
IATA
ADN

14.6 Special Precautions for user

Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of accident or spillage

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code
Not applicable

SECTION 15 : REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the mixture

EU Legislation

Commission Regulation (EC) No 474/2014 of 8th May 2014 amending Annex XVII to Regulation (EC) No 1907/2006

Commission Regulation (EC) No 944/2013 of 2nd October 2013 (5th ATP) amending Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures.

Waste Framework Directive 2008/98/EC

Employment restrictions: Observe employment restrictions for young people, for child bearing mothers/ nursing and for women of child-bearing age.

15.2 Chemical Safety Assessment

Exposure scenarios are not required for this mixture because it is not classified as dangerous according to Directive 67/548/EEC and assessed to be not PBT/vPvB. No risk management measures as defined by REACH have been identified.

SECTION 16 : OTHER INFORMATION *

* SECTIONS REVISED 2,3,16 Supercedes date 03.11.2016
The Safety Data Sheets have been revised throughout in accordance with CLP/GHS requirements

Legend

PBT Persistent, Bioaccumulative and Toxic
vPvB very Persistent and very Bioaccumulative

Data sources Supplier information

Other hazard phrases listed in this MSDS

H319 Causes serious Eye Irritation Cat 2
H315 Causes skin irritation Skin Irr 2

Training advice General industrial hygiene practice.
Manual handling

Further information

This information relates only to the specific material designated and is to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness and without acceptance of liability for loss or damage attributable to reliance thereon as conditions of use lie outside our control. Users should always carry tests to establish the suitability of any products for their intended applications. No statements shall be incorporated in any contract unless expressly agreed in writing or construed as recommending the use of any product in conflict of any patent. All goods are supplied subject to Glassbond Ltd's General Conditions of Sale.
