## SAFETY DATA SHEET



Safety Data Sheet according to regulation (EC) N°1907/2006, 1272/2008(CLP) & 453/2010

Date Revised : 31.10.2018 Revision : 06

Product : GLASSBOND SAUEREISEN Nº 315PASTE

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/ MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product Identifier

Product name : GLASSBOND SAUEREISEN N° 315 PASTE

REACH notes : Mixture- Substances contained in this product that are

not classified as hazardous have been/will be registered for

REACH at the appropriate time.

1.2 Relevant identified uses of the mixture and uses advised against.

Identified use : High temperature adhesive and sealant

Uses advised against : No other uses

1.3 Details of the supplier of the safety data sheet

Company identification Glassbond (NW) Ltd

West Side Industrial Estate

Jackson Street St. Helens

Merseyside WA9 3AT United Kingdom

Telephone +44(0)1744 730334 Fax +44(0)1744 451661 Email technical@glassbond.co.uk

**1.4** Emergency telephone +44(0)1744 730334

**number** (GMT, English spoken, Mon-Friday; 08.30-16.30)

## **SECTION 2: HAZARDS IDENTIFICATION**

## 2.1 Classification of the mixture: calculation method

**2.1.1** Regulation (EC) No. 1272/2008(CLP)

Physical/Chemical Not Classified

Human health Eye damage 2, Skin Irritant 2

Environmental Not classified

**2.1.2** Directive 1999/45/EC(DPD) Not classified

## 2.2 Label elements According to Regulation (EC) No. 1272/2008(CLP)



**GS07** 

Date Revised : 31.10.2018 Revision : 06

Product : GLASSBOND SAUEREISEN Nº 315PASTE

SIGNAL WORD (S) Warning

HAZARD H315 Causes skin irritation. Cat2

STATEMENT(S)

H319 Causes serious eye irritation. Cat2

PRECAUTIONARY P280 Wear protective gloves /protective clothing/eye protection/face

STATEMENT(S) protection

P305+ IF IN EYES: rinse cautiously with water for several minutes. Remove

P351+ contact lenses, if present and easy to do. Continue rinsing

P338

## 2.3 Other Hazards

PBT : This mixture contains no substances considered as PBT vPvB: This mixture contains no substances considered as vPvB

**2.4 Additional** For full text of H/P phrases see section 16 if not written out in full above. **information** 

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS\*

**3.1** Substances . (This product is a mixture according to EU legislation.)

**3.2** Mixture of inorganic powders

Hazardous ingredient	% w/w	CAS N°	EC N°	REACH N°	CPL EC 1272/2008
Sodium silicate	10-15	1344-09-8	215-687-4	01-2119448725- 31	H319: Eye damage 2 H315: Skin Irritant 2

## 3.3 Additional information

For full text of H/P phrases see section 16 if not written out in full above.

Date Revised : 31.10.2018 Revision : 06

Product : GLASSBOND SAUEREISEN Nº 315PASTE

## **SECTION 4: FIRST AID MEASURES**

## 4.1 Description of first aid measures

General Take off contaminated clothing and wash before re-use (P362), take care not to

advice contaminate unaffected areas.

Inhalation IF INHALED (aerosol) remove victim to fresh air and keep at rest in a position

comfortable for breathing.

Eyes IF IN EYES rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.(P305+P351+P338) If eye irritation persists: Get medical attention (P337+P313)

Skin IF ON SKIN wash exposed areas thoroughly after handling (P264)

If skin irritation or rash occurs get medical attention (P332+P313)

Ingestion IF SWALLOWED: Rinse mouth (P301+P330). Obtain medical attention immediately,

show this safety data sheet.

## 4.2 Most important symptoms and effects, both acute and delayed

Symptoms Eye contact- May cause serious eye irritation. (highly alkaline)

Risks No information available

## 4.3 Indication of any immediate medical attention and special treatment needed

Treatment Treat according to symptoms (decontamination, vital functions), no known

specific antidote.

## **SECTION 5: FIRE FIGHTING MEASURES**

## 5.1 Extinguishing media:

Aqueous solution. Not combustible.

## 5.2 Special hazards arising from the mixture

The liquid will not burn but the packaging is combustible.

## 5.3 Advice for fire fighters

No special measures required.

**Further information**: The degree of risk is governed by the burning substance and the fire conditions. Contaminated extinguishing media must be disposed of in accordance with official regulation.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

## 6.1 Personal Precautions, protective equipment and emergency procedures

Use personal protective clothing.

## **6.2 Environmental Precautions**

Prevent contamination of soil, drains and surface waters. Do not discharge contaminated water/ fire-fighting water into drains/ surface water/ groundwater.

## 6.3 Methods and material for containment and cleaning up

Soak up with inert absorbent (e.g. sand). Dispose of material in accordance with official regulations.

## 6.4 Reference to other sections

For personal protection see section 8 and disposal section 13

Date Revised : 31.10.2018 Revision: 06

Product : GLASSBOND SAUEREISEN Nº 315PASTE

## **SECTION 7: HANDLING AND STORAGE**

#### 7.1 Precautions for safe handling

Advice on safe Avoid contact with skin and eyes. Practice good housekeeping. handling

Always replace cap after use. For PPE see section 8. Wash

contaminated clothing before reuse (P363)

Advice on protection Normal measures for preventive fire protection

against fire and explosion Take precautionary measures against static discharge

if using plastic packaging.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep containers tightly closed. Store locked up (P450), under cover, in a well ventilated,

cool, dry place and away from direct sunlight or heat. Protect from freezing.

Protect from temperatures below: 4 °C Protect from temperatures above : 40 °C

Suitable storage materials : Original containers.

Higher temperatures will reduce the shelf life of the product. Under normal conditions

(21°C) a shelf life of 12 months or more is possible.

#### Specific end use(s) 7.3 As per section 1.2

## **SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1 **Control parameters**

## 8.1.1 Occupational Exposure Limits: OEL (Occupational Exposure Standard OES)

		mg/m³	ppm	Note
	TWA	-		(EH40 UK) OES 8 hr
	TWA	-		(EH40 UK)
	TLV-TWA	-		(ACIGH)
	STEL	-		
Sodium silicate	TWA	2.0		recommended
	TWA	-		
	STEL	-		

**Biological limit value** 8.1.2 Not available **PNECs and DNELs** Not available 8.1.3

#### 8.2 **Exposure Controls**

8.2.1 **Appropriate engineering controls:** Prevent formation of aerosol.

#### 8.2.2 **Personal Protective Equipment:**

Tightly fitting safety goggles (e.g. EN166) Eye/face

Protection

Hand

Gloves: Chemical resistant gloves (e.g. EN374) Butyl rubber: 0.7 mm Skin Protection/

coating thickness. Nitrile rubber: 0.4 mm coating thickness. Check with PPE

manufacturer. Replace immediately if signs of degradation are observed.

Other Wear closed work clothing.

Not required under normal working conditions. Respiratory

Protection

General industrial hygiene practice Hygiene measures

#### 8.2.3 **Environmental exposure controls**

Date Revised : 31.10.2018 Revision: 06

Product : GLASSBOND SAUEREISEN Nº 315PASTE

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

#### 9.1 information on basic physical and chemical properties

Appearance Odour	Paste None	COLOUR ODOUR THRESHOLD ppm	Cream Not Available
pH Value Melting Point/Freezing pt INITIAL BOILING POINT/RANGE FLASHPOINT °C	<11.5 0°C 100°C Not applicable	RELATIVE DENSITY SOLUBILITY IN WATER @ 20°C PARTITION COEFFICIENT (n-octanol/water)	2.7 g/ml Miscible Not available
EVAPORATION RATE FLAMMABILITY (SOLID/GAS) UPPER EXPLOSIVE LIMIT LOWER EXPLOSIVE LIMIT VAPOUR PRESSURE VAPOUR DENSITY (AIR=1)	Not applicable Not applicable Not Available Not Available Not applicable Not applicable	AUTO IGNITION TEMPERATURE DECOMPOSITION TEMPERATURE °C VISCOSITY mPa.s @ 25°C EXPLOSIVE PROPERTIES OXIDIZING PROPERTIES	Not available Not available Paste Not available Not oxidising

#### 9.2 Other information

## **SECTION 10: STABILITY AND REACTIVITY**

10.1 10.2	Reactivity Chemical Stability	Stable under normal conditions. Stable under recommended storage and handling conditions.
10.3	Possibility of Hazardous reactions	No dangerous reaction known under conditions of normal use
10.4	<b>Conditions to Avoid</b>	Freezing. Do not leave containers open.
10.5	Incompatible materials	Incompatible with strong acids. Aqueous solutions will react with aluminium, zinc, tin and their alloys evolving hydrogen gas which can form an explosive mixture with air. Can react violently if in contact with acids. Can react with sugar residues to form carbon monoxide.
10.6	Hazardous Decomposition Products.	No hazardous decomposition products if stored and handled as prescribed/ indicated.

## **SECTION 11: TOXICOLOGICAL INFORMATION**

Respiratory or skin sensitisation

11.1 Information on toxic Acute toxicity	Contains		e mixture hat are hazardous by the following routes
LD 50 ORAL TOXICITY IN RATS LD 50 DERMAL TOXICITY RABBITS LC 50 INHL TOXICITY IN RATS LD 50 DERMAL TOXICITY RABBITS LC 50 ORAL TOXICITY IN RATS LD 50 DERMAL TOXICITY RATS	3400 >5000 >2.06	mg/kg mg/kg g/m³ mg/kg mg/kg mg/kg	Sodium silicate Sodium silicate Sodium silicate
Skin corrosion/ irritation Serious eye damage / irrita		itating Cat2	

Not classified

Not classified

Not classified

Germ cell mutagenicity

Carcinogenicity

Date Revised : 31.10.2018 Revision : 06

Product : GLASSBOND SAUEREISEN Nº 315PASTE

Reproductive toxicityNot classifiedSpecific Target Organ Toxicity (Repeated Exposure)Not classifiedSpecific Target Organ Toxicity (Single Exposure)Not classifiedAspiration hazardNot classified

## 11.2 Other information

## **SECTION 12: ECOLOGICAL INFORMATION**

## 12.1 Toxicity

LL <sub>50</sub> Fish EC <sub>50</sub> Invertibrates EL <sub>50</sub> Algae	(96 hr) (48 hr) (72hr)	sodium silicate 1108 1700 Not available	mg/l mg/l mg/l	Brachydanio rerio Daphnia magna Selenastrum capricornutum
LL <sub>50</sub> Fish	(96 hr)		mg/l	Lepomis macrochirus
EC <sub>50</sub> Invertibrates	(48 hr)		mg/l	Daphnia magna
EL <sub>50</sub> Algae	(72hr)		mg/l	Selenastrum capricornutum

Micro organisms/ effect upon activated sludge

EC<sub>50</sub> Bacteria (3.0 hr) mg/l Activated sludge, domestic

# **12.2** Persistance and Not biodegradeable degradability

## **12.3 Bioaccumulative potential** Not available

## **12.4 Mobility in soil** Miscible with water. If the product enters soil, it will be

mobile and may contaminate groundwater.

## **12.5 Results of PBT and vPvB** PBT: This mixture contains no substances considered

**assessment** as PBT

vPvB: This mixture contains no substances considered

as vPvB

## 12.6 Other adverse effects

The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations. Do not release untreated into natural waters. This product has not been tested. The statement has been derived from products of a similar structure and composition.

Date Revised : 31.10.2018 Revision : 06

Product : GLASSBOND SAUEREISEN Nº 315PASTE

## **SECTION 13: DISPOSAL CONSIDERATION**

## 13.1 Waste treatment methods

Dispose of contents/ container according to the end user disposal procedure (P501). Dispose by landfill via a licensed waste disposal contractor in accordance with local and national regulations.

Contaminated packaging should be emptied as far as possible, they can then be recycled after being thoroughly cleaned by a licensed contractor. Labels must not be removed from containers until they have been cleaned. Packaging materials that are not contaminated should be treated as household waste or as recycling material.

## 13.2 Additional information

The UK Environmental Protection (Duty of Care) regulations (EP) and amendments should be noted (United Kingdom)

## **SECTION 14 - TRANSPORT INFORMATION**

14.1 UN number NOT CLASSIFIED

ADR

**RID** 

**IMDG** 

IATA

ADN

**14.2 Proper shipping name** NOT CLASSIFIED

ADR

RID

**IMDG** 

IATA

ADN

14.3 Transport Hazard Class NOT CLASSIFIED

ADR

RID

**IMDG** 

**IATA** 

ADN

**14.4 Packing Group** NOT CLASSIFIED

ADR

**RID** 

**IMDG** 

**IATA** 

ADN

14.5 Environmental hazards NOT CLASSIFIED

ADR

RID

**IMDG** 

IATA

ADN

## 14.6 Special Precautions for user

Not classified as dangerous in the meaning of transport regulations

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code
Not applicable

Date Revised : 31.10.2018 Revision : 06

Product : GLASSBOND SAUEREISEN Nº 315PASTE

## **SECTION 15: REGULATORY INFORMATION**

# 15.1 Safety, health and environmental regulations/legislation specific for the mixture

**EU** Legislation

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793193 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments. Employment restrictions: Observe employment restrictions for young people, for child bearing mothers/ nursing and for women of child-bearing age.

## 15.2 Chemical Safety Assessment

Assessed to be not PBT/vPvB.

## **SECTION 16: OTHER INFORMATION \***

\* SECTIONS REVISED 7, 10 Supercedes date 17.08.2017 The Safety Data Sheets have been revised throughout in accordance with CLP/GHS requirements

Legend

PBT Persistent, Bioaccumulative and Toxic VPVB very Persistent and very Bioaccumulative

Data sources Supplier information

Other hazard and risk phrases listed in this MSDS H315 Causes skin irritation

H319 Causes serious eye irritation

Training advice General industrial hygiene practice.

Manual handling

## Further information

This information relates only to the specific material designated and is to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to it's accuracy, reliability or completeness and without acceptance of liability for loss or damage attributable to reliance thereon as conditions of use lie outside our control. Users should always carry tests to establish the suitability of any products for their intended applications. No statements shall be incorporated in any contract unless expressively agreed in writing or construed as recommending the use of any product in conflict of any patent. All goods are supplied subject to Glassbond Ltd's General Conditions of Sale.