SAFETY DATA SHEET



Safety Data Sheet according to regulation (EC) N°1907/2006, 1272/2008(CLP) & 453/2010

Date Revised : 13.01.2022 Revision : 18

Product : LOW EXPANSION CEMENT N°29

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/ MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product Identifier

Product name : GLASSBOND SAUEREISEN LOW EXPANSION CEMENT N°29

REACH notes : Mixture- Substances contained in this product that are

not classified as hazardous have been/will be registered for

UK/EU REACH at the appropriate time.

1.2 Relevant identified uses of the mixture and uses advised against.

Identified use : High temperature adhesive and sealant

Uses advised against : No other uses

1.3 Details of the supplier of the safety data sheet

Company identification Glassbond (NW) Ltd

West Side Industrial Estate

Jackson Street St. Helens

Merseyside WA9 3AT United Kingdom

Telephone +44(0)1744 730334 Fax +44(0)1744 451661 Email technical@glassbond.co.uk

1.4 Emergency telephone +44(0)1744 730334

number (GMT, English spoken, Mon-Friday; 08.30-16.30)

SECTION 2: HAZARDS IDENTIFICATION*

2.1 Classification of the mixture: calculation method

2.1.1 Regulation (EC) No. 1272/2008(CLP)

Physical/Chemical Not Classified

Human health Acute toxicity 4 (oral, skin inhalation)

Environmental Not classified

2.1.2 Directive 1999/45/EC(DPD) Not available

2.2 Label elements According to Regulation (EC) No. 1272/2008(CLP)

GHS07

Acute toxicity Oral 4
Acute toxicity Skin 4
Acute toxicity Inhalation 4

Date Revised : 13.01.2022 Revision : 18

Product : LOW EXPANSION CEMENT N°29

| SIGNAL WORD (S) | | Warning | |
|----------------------------|----------------------|---|---|
| HAZARD STATEMENT(S) | H302 H312 H332 | Harmful if swallowed Harmful in contact with skin Harmful if inhaled | Acute Tox 4 Acute Tox 4 Acute Tox 4 |
| PRECAUTIONARY STATEMENT(S) | P261 P280 P312 | Avoid breathing dust Wear protective gloves /protective clothing/eye protection/face protection Immediately call a POISON CENTRE or doctor if you f | |

2.3 Other Hazards

PBT : This mixture contains no substances considered as PBT

vPvB: This mixture contains no substances considered as vPvB

2.4 Additional For full text of H/P phrases see section 16 if not written out in full above. **information**

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS*

3.1 Substances. (This product is a mixture according to EU legislation.)

3.2 Mixture of inorganic powders

| Hazardous ingredient | % w/w | CAS N° | EC N° | REACH N° | CPL EC 1272/2008 |
|---------------------------|----------|------------|-----------|---------------------------|---|
| Sodium silico fluoride | 10=20 | 16893-85-9 | 240-934-8 | 01-2119519245- 43-0002 | H331:Acute Tox 3 (inhalation) H311:Acute Tox 3 (dermal) H301:Acute Tox 3 (oral) |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

3.3 Additional information

For full text of H/P phrases see section 16 if not written out in full above.

Date Revised : 13.01.2022 Revision : 18

Product : LOW EXPANSION CEMENT N°29

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General Take off contaminated clothing and wash before re-use (P362).

advice Take care not to contaminate unaffected areas.

Inhalation IF INHALED remove victim to fresh air and keep at rest in a position comfortable for

breathing. (P304+P340)

Eyes IF IN EYES rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.(P305+P351+P338) If eye irritation persists: Get medical attention (P337+P313)

Skin Wash hands thoroughly after handling (P264)

If skin irritation or rash occurs get medical attention (P333+P313)

Ingestion IF SWALLOWED: Rinse mouth (P330). Call a POISON CENTRE or doctor if you feel

unwell (P301+P312). Show this safety data sheet.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms Eye contact- May cause temporary eye irritation.

Risks No information available

4.3 Indication of any immediate medical attention and special treatment needed

Treatment Treat according to symptoms (decontamination, vital functions), no known

specific antidote.

SECTION 5: FIRE FIGHTING MEASURES

5.1 Extinguishing media:

Suitable: CO2 or dry chemical spray, water spray may help to reduce the temperature and extinguish flames for surrounding materials.

Unsuitable: High pressure water jet.

5.2 Special hazards arising from the mixture

The powder will not burn but the packaging is combustible.

5.3 Advice for fire fighters

Use full protective clothing and self-contained breathing apparatus.

Further information: The degree of risk is governed by the burning substance and the fire conditions. Contaminated extinguishing media must be disposed of in accordance with official regulation.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal Precautions, protective equipment and emergency procedures

3/8

Use personal protective clothing.

6.2 Environmental Precautions

Prevent contamination of soil, drains and surface waters. Do not discharge contaminated water/ fire-fighting water into drains/ surface water/ groundwater.

6.3 Methods and material for containment and cleaning up

Collect spillage by sweeping or industrial vacuum cleaner. keep in suitable closed container for disposal

6.4 Reference to other sections

Print date 13/01/2022

For personal protection see section 8 and disposal section 13

: 13.01.2022 Revision: 18 Date Revised

Product : LOW EXPANSION CEMENT N°29

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe Avoid the formation and deposition of dust. Use only

handling outdoors or in a well ventilated area (P271). For PPE see

section 8. Take off contaminated clothing and wash before

re-use (P362).

Advice on protection Normal measures for preventive fire protection

against fire and explosion Take precautionary measures against static discharge

if using plastic packaging.

7.2 Conditions for safe storage, including any incompatibilities

Store in a well ventilated place. Keep containers tightly closed.(P403+P233) Keep cool

and dry, away from direct sunlight or heat.

Protect from temperatures below: Not applicable

Protect from temperatures above : 40 °C

Suitable storage materials : Original containers.

Higher temperatures and humidity will reduce the shelf life of the product and may cause the powder to form lumps. The powder will also be difficult to mix into a paste.

Under normal conditions (21°C) a shelf life of 12 months or more is possible.

7.3 Specific end use(s) As per section 1.2

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters 8.1

8.1.1 Occupational Exposure Limits: OEL (Occupational Exposure Standard OES)

| | | mg/m³ | ppm | Note |
|-----------------------|---------|-------|-----|--------------------|
| | TWA | - | | (EH40 UK) OES 8 hr |
| | TWA | | | (EH40 UK) |
| | TLV-TWA | | | (ACIGH) |
| | STEL | - | | (EH40 ÚK) |
| Sodium silicofluoride | TWA | 2.5 | | ÒSHA |
| | TWA | | | |
| | STEL | - | | |

Biological limit value 8.1.2 Not available PNECs and DNELs 8.1.3 Not available

8.2 **Exposure Controls**

8.2.1 Appropriate engineering controls: Effective exhaust ventilation system

8.2.2 **Personal Protective Equipment:**

Eye/face Tightly fitting safety goggles (e.g. EN166)

Protection

Skin Protection/ Gloves: Chemical resistant gloves (e.g. EN374) Butyl rubber: 0.7 mm Hand

coating thickness. Nitrile rubber: 0.4 mm coating thickness. Check with PPE

manufacturer. Replace immediately if signs of degradation are observed.

Wear closed work clothing. Other

In the case of insufficient ventilation or severe dusts Respiratory

Cartridge: e.g. EN143 Type P-S (check with PPE manufacturer) Protection

Hygiene measures General industrial hygiene practice

8.2.3 **Environmental exposure controls**

Local exhaust ventilation and take precautionary measures against static discharge.

Date Revised : 13.01.2022 Revision : 18

Product : LOW EXPANSION CEMENT N°29

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 information on basic physical and chemical properties

| Appearance Odour | Fine powder None | COLOUR ODOUR THRESHOLD ppm | Cream Not Available |
|--|---|---|--|
| pH Value Melting Point/Freezing pt INITIAL BOILING POINT/RANGE FLASHPOINT °C | Not applicable Not applicable Not applicable Not applicable | RELATIVE DENSITY SOLUBILITY IN WATER @ 20°C PARTITION COEFFICIENT (n-octanol/water) | 2.7 g/ml 14g/100g Not available |
| EVAPORATION RATE FLAMMABILITY (SOLID/GAS) UPPER EXPLOSIVE LIMIT LOWER EXPLOSIVE LIMIT VAPOUR PRESSURE VAPOUR DENSITY (AIR=1) | Not applicable Not applicable Not Available Not Available Not applicable Not applicable | AUTO IGNITION TEMPERATURE DECOMPOSITION TEMPERATURE °C VISCOSITY mPa.s @ 25°C EXPLOSIVE PROPERTIES OXIDIZING PROPERTIES | Not available Not available Not applicable Not available Not oxidising |

9.2 Other information

SECTION 10: STABILITY AND REACTIVITY

| 10.1 | Reactivity | Stable under normal conditions. |
|------|----------------------------|---|
| 10.2 | Chemical Stability | Stable under recommended storage and handling conditions. |
| 10.3 | Possibility of | No dangerous reaction known under conditions of normal use |
| | Hazardous reactions | |
| 10.4 | Conditions to Avoid | No decomposition if stored and applied as directed. |
| 10.5 | Incompatible | Incompatible with strong acids, alkaline materials, iron |
| | materials | containing materials. It may react with strong mineral acids to liberate hydrogen fluoride or hydrofluoric acid which are highly toxic and corrosive. |
| 10.6 | Hazardous | No hazardous decomposition products if stored and handled as |
| | Decomposition | prescribed/ indicated. |
| | Products. | |

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects of the mixture

| IIII IIIIOIIIIIIIIIII OII toxi | _ | ar criccis or the mixtu | | | |
|--|--|-------------------------|-----------------------|--|--|
| Acute toxicity | Contains components that are hazardous by the following routes | | | | |
| | : skin, | eye, inhalation. | | | |
| LD 50 ORAL TOXICITY MOUSE | 70 | mg/kg | Sodium silicofluoride | | |
| LD 50 ORAL TOXICITY IN RATS | 125 | mg/kg | Sodium silicofluoride | | |
| LD ₅₀ DERMAL TOXICITY RABBITS | 500 | mg/kg | Sodium silicofluoride | | |
| LC 50 INHL TOXICITY IN RATS | | mg/kg | | | |
| LD ₅₀ DERMAL TOXICITY RABBITS | | mg/kg | | | |
| LC 50 ORAL TOXICITY IN RATS | | mg/kg | | | |
| LD ₅₀ DERMAL TOXICITY RATS | | mg/kg | | | |
| | | | | | |
| Chin compaign / invitation | | May cause invitation | | | |

Skin corrosion/ irritation
Serious eye damage / irritation
Respiratory or skin sensitisation
Germ cell mutagenicity
Carcinogenicity

May cause irritation May cause irritation Not classified Not classified

Date Revised : 13.01.2022 Revision : 18

Product : LOW EXPANSION CEMENT N°29

Reproductive toxicityNot classifiedSpecific Target Organ Toxicity (Repeated Exposure)Not classifiedSpecific Target Organ Toxicity (Single Exposure)Not classifiedAspiration hazardNot classified

11.2 Other information

Continuous or intermittent exposure to inorganic fluorides can lead to appreciable accumulation of fluoride in bone, and, to development of osteosclerosis and other bone changes.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

| LL ₅₀ Fish | (96 hr) | | mg/l | Brachydanio rerio |
|--------------------------------|---------|-----------------------|------|---------------------------|
| EC ₅₀ Invertibrates | (48 hr) | | mg/l | Daphnia magna |
| EL 50 Algae | (72hr) | | mg/l | Selenastrum capricornutum |
| | | Sodium silicofluoride | | |
| LL ₅₀ Fish | (96 hr) | 37.5 | mg/l | Lepomis macrochirus |
| EC ₅₀ Invertibrates | (48 hr) | 35.4 | mg/l | Daphnia magna |
| EL 50 Algae | (72hr) | 18.5 | mg/l | Selenastrum capricornutum |

Micro organisms/ effect upon activated sludge

 EC_{50} Bacteria (3.0 hr) mg/l Activated sludge, domestic

12.2 Persistance and Not biodegradeable degradability

12.3 Bioaccumulative potential Not available

12.4 Mobility in soil Sinks in water. A small percentage (~30%) is water

soluble. If the product enters soil, it will be mobile and

may contaminate groundwater.

12.5 Results of PBT and vPvB P

assessment

PBT: This mixture contains no substances considered

as PBT

vPvB: This mixture contains no substances considered

as vPvB

12.6 Other adverse effects

The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations. Do not release untreated into natural waters. This product has not been tested. The statement has been derived from products of a similar structure and composition.

Date Revised : 13.01.2022 Revision : 18

Product : LOW EXPANSION CEMENT N°29

SECTION 13: DISPOSAL CONSIDERATION

13.1 Waste treatment methods

The preparation must be disposed of by special means. Dispose by landfill via a licensed waste disposal contractor in accordance with local and national regulations.

Contaminated packaging should be emptied as far as possible, they can then be recycled after being thoroughly cleaned by a licensed contractor. Labels must not be removed from containers until they have been cleaned. Packaging materials that are not contaminated should be treated as household waste or as recycling material.

13.2 Additional information

The UK Environmental Protection (Duty of Care) regulations (EP) and amendments should be noted (United Kingdom)

Dispose of contents/ container according to the end user disposal procedure (P501)

SECTION 14: TRANSPORT INFORMATION

14.1 UN number NOT CLASSIFIED

ADR

RID

IMDG

IATA

ADN

14.2 Proper shipping name NOT CLASSIFIED

ADR

RID

IMDG

IATA

ADN

14.3 Transport Hazard Class NOT CLASSIFIED

ADR

RID

IMDG

IATA

ADN

14.4 Packing Group NOT CLASSIFIED

ADR

RID

IMDG

IATA

ADN

14.5 Environmental hazards NOT CLASSIFIED

ADR

RID

IMDG

IATA

ADN

14.6 Special Precautions for user

Not classified as dangerous in the meaning of transport regulations

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code Not applicable

Print date 13/01/2022 7/8 SDS –Sauereisen No 29 Jan 2022

Date Revised : 13.01.2022 Revision : 18

Product : LOW EXPANSION CEMENT N°29

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the mixture

EU Legislation

Commission Regulation (EC) No 474/2014 of 8^{th} May 2014 amending Annex XVII to Regulation (EC) No 1907/2006

Commission Regulation (EC) No 944/2013 of 2nd October 2013 (5th ATP) amending Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures.

Waste Framework Directive 2008/98/EC

Employment restrictions: Observe employment restrictions for young people, for child bearing mothers/ nursing and for women of child-bearing age.

15.2 Chemical Safety Assessment

Assessed to be not PBT/vPvB.

SECTION 16: OTHER INFORMATION *

* SECTIONS REVISED 1 Supercedes date 31.10.18 Reference made to UK/EU REACH

Legend

PBT Persistent, Bioaccumulative and Toxic vPvB very Persistent and very Bioaccumulative

Data sources Supplier information

Other hazard phrases listed in this MSDS H301 Toxic if swallowed

H311 Toxic in contact with skin H331 Toxic by inhalation

Training advice General industrial hygiene practice. Do not eat, drink or smoke when

using this product (P270)

Manual handling

Further information

This information relates only to the specific material designated and is to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to it's accuracy, reliability or completeness and without acceptance of liability for loss or damage attributable to reliance thereon as conditions of use lie outside our control. Users should always carry tests to establish the suitability of any products for their intended applications. No statements shall be incorporated in any contract unless expressively agreed in writing or construed as recommending the use of any product in conflict of any patent. All goods are supplied subject to Glassbond Ltd's General Conditions of Sale.