# SAFETY DATA SHEET



Safety Data Sheet according to regulation (EC) N°1907/2006, 1272/2008(CLP) & 453/2010 Date Revised : 19/07/2023 Revision : 7 Product : GLASSBOND P966/M

#### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/ MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1	<b>Product Identifier</b> Product name REACH notes	: GLASSBOND P966/M : Mixture- Substances contained in this product that are not classified as hazardous have been/will be registered for REACH at the appropriate time.	
1.2	<b>Relevant identified uses</b> Identified use Uses advised against	of the mixture and uses advised against. : Lamp capping adhesive : No other uses	
1.3	Details of the supplier of the safety data sheetCompany identificationGlassbond (NW) LtdWest Side Industrial EstateJackson StreetSt. HelensMerseyside WA9 3ATUnited Kingdom		
	Telephone Fax Email	+44(0)1744 730334 +44(0)1744 451661 technical@glassbond.co.uk	
1.4	Emergency telephone number	+44(0)1744 730334 (GMT, English spoken, Mon-Friday; 08.30-16.30)	

#### SECTION 2: HAZARDS IDENTIFICATION \*

## 2.1 Classification of the mixture: calculation method

2.1.1	Regulation (EC) No. 1272/2008(CLP)				
	Physical/Chemical	NOT CLASSIFIED			
	Human health	NOT CLASSIFIED			
	Environmental	NOT CLASSIFIED			

#### **2.2 Label elements** Hazard pictogram(s) According to Regulation (EC) No. 1272/2008(CLP)

GHS

NO PICTOGRAM REQUIRED

Safety Data Sheet ac Date Revised Product	ccording to regulation (EC) N°1907/2006, 1272/2008(CLP) & 453/2010 : 19/07/2023 Revision : 7 : GLASSBOND P966/M				
SIGNAL WORD(S) HAZARD	NOT CLASSIFIED				
STATEMENT(S)					
PRECAUTIONARY STATEMENT(S)					
2.3 Other Hazards					
2.4 Additional information	PBT: This mixture contains no substances considered as PBT vPvB: This mixture contains no substances considered as vPvB For full text of H/P phrases see section 16 if not written out in full above.				

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS \*

- **3.1** Substances (This product is a mixture according to EU legislation)
- **3.2** Mixture of organic resins and inorganic powders

Hazardous ingredient	% w/w	CAS Nº	EC Nº	REACH N°	CPL EC 1272/2008
Hexamine	<1	100-97-0	202-905-8	Not available	H228: Flammable solid. H317: May cause an allergic skin reaction.

## 3.3 Additional information

For full text of H/P phrases see section 16 if not written out in full above.

#### SECTION 4: FIRST AID MEASURES

## 4.1 Description of first aid measures

General advice	Immediately remove contaminated clothing, take care not to contaminate unaffected areas.			
Inhalation	Contains component irritating by inhalation. Move the exposed person to fresh air. Seek medical attention.			
Eyes	Rinse immediately with running water for at least 15 minutes holding the eyelid open; consult an eye specialist.			
Skin	Wash thoroughly with water and soap If skin irritation or rash occurs get medical attention (P333+P313)			
Ingestion	Immediately rinse the mouth with water and drink plenty of water. Obtain medical attention immediately, show this safety data sheet.			
4.2 Most important symptoms and effects, both acute and delayed				

## Symptoms Eye contact- May cause temporary eye irritation.

- Risks No information available
- **4.3** Indication of any immediate medical attention and special treatment needed Treatment Treat according to symptoms (decontamination, vital functions), no known specific antidote.

## SECTION 5: FIRE FIGHTING MEASURES

## 5.1 Extinguishing media:

Suitable: CO2 or dry chemical spray, water spray may help to reduce the temperature and extinguish flames.

Unsuitable: High pressure water jet

## 5.2 Special hazards arising from the mixture

Harmful vapours. Thermal decomposition or burning may release toxic oxides of nitrogen and other toxic gases.

## 5.3 Advice for fire fighters

Use full protective clothing and self-contained breathing apparatus.

**Further information**: The degree of risk is governed by the burning substance and the fire conditions. Contaminated extinguishing media must be disposed of in accordance with official regulation.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

**6.1 Personal Precautions, protective equipment and emergency procedures** Use personal protective clothing.

## 6.2 Environmental Precautions

Prevent contamination of soil, drains and surface waters. Do not discharge contaminated water/ fire-fighting water into drains/ surface water/ groundwater.

## 6.3 Methods and material for containment and cleaning up

Collect spillage by sweeping or industrial vacuum cleaner. keep in suitable closed container for disposal

## 6.4 Reference to other sections

For personal protection see section 8 and disposal section 13

## SECTION 7: HANDLING AND STORAGE

7.1	Precautions for safe handling				
	Advice on safe handling	Avoid the formation and deposition of dust. Ensure thorough ventilation of stores and work areas. For PPE see section 8. Contaminated clothing should not be allowed out of the workplace (P272). Wash contaminated clothing before reuse (P363)			
	Advice on protection against fire and explosion	Normal measures for preventive fire protection Take precautionary measures against static discharge			

## 7.2 Conditions for safe storage, including any incompatibilities

Keep containers tightly closed. The powder should be stored under cover, in a well-ventilated, cool, dry place and away from direct sunlight or heat.

Protect from temperatures below: Not applicable

Protect from temperatures above: 35 °C

Suitable storage materials: Original containers.

Higher temperatures and humidity will reduce the shelf life of the product and may cause the powder to form lumps. The powder will also be difficult to mix into a paste. Under normal conditions (21°C) a shelf life of 12 months or more is possible.

## 7.3 Specific end use(s) As per section 1.2

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1 Control parameters

## 8.1.1 Occupational Exposure Limits: OEL (Occupational Exposure Standard OES)

Dust	TWA STEL	mg/m <sup>3</sup> 10 4	ppm inhalable respirable	Note (EH40 UK) OES 8 hr (EH40 UK)
	TWA STEL			(EH40 UK) (EH40 UK)
	TWA STEL			(EH40 UK) (EH40 UK)

- 8.1.2 Biological limit value Not available
- 8.1.3 PNECs and DNELs Not available

## 8.2 Exposure Controls

8.2.1 Appropriate engineering controls: Effective exhaust ventilation system

#### 8.2.2 Personal Protective Equipment:

Eye/face Tightly fitting safety goggles (e.g., EN166)

Protection

Skin Protection/<br/>HandGloves: Chemical resistant gloves (e.g., EN374) Butyl rubber: 0.7 mm<br/>coating thickness. Nitrile rubber: 0.4 mm coating thickness. Check with PPE<br/>manufacturer. Replace immediately if signs of degradation are observed.OtherWear closed work clothing.

RespiratoryIn the case of insufficient ventilation or severe dustsProtectionCartridge: e.g., EN143 Type P-S (check with PPE manufacturer)

Hygiene measures General industrial hygiene practice

## 8.2.3 Environmental exposure controls

No special environmental precautions required

#### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

## 9.1 Information on basic physical and chemical properties

Appearance Odour	Fine powder None	COLOUR ODOUR THRESHOLD ppm	Cream Not Available
pH Value Melting Point/freezing pt initial Boiling Point/Range Flashpoint °C	Not available Not applicable Not applicable Not applicable	RELATIVE DENSITY SOLUBILITY IN WATER PARTITION COEFFICIENT (n-octanol/water)	1.5 g/ml <1% soluble Not available
EVAPORATION RATE FLAMMABILITY (SOLID/GAS) UPPER EXPLOSIVE LIMIT LOWER EXPLOSIVE LIMIT VAPOUR PRESSURE VAPOUR DENSITY (AIR=1)	Not applicable Not applicable Not Available Not Available Not applicable Not applicable	AUTO IGNITION TEMPERATURE DECOMPOSITION TEMPERATURE °C VISCOSITY mPa.s @ 25°C EXPLOSIVE PROPERTIES OXIDIZING PROPERTIES	Not available Not available Not applicable Not available Not oxidising

## 9.2 Other information

Partially soluble in alcohols

## SECTION 10: STABILITY AND REACTIVITY

10.1 10.2 10.3	Reactivity Chemical Stability Possibility of Hazardous reactions	Stable under normal conditions. Risk of dust explosion. Stable under recommended storage and handling conditions. No dangerous reaction known under conditions of normal use
10.4 10.5	Conditions to Avoid Incompatible materials	No decomposition if stored and applied as directed. Acids, strong oxidising agents
10.6	Hazardous Decomposition Products	No hazardous decomposition products if stored and handled as prescribed/ indicated. Fire creates oxides of carbon and nitrogen, formaldehyde.

#### SECTION 11: TOXICOLOGICAL INFORMATION

#### **11.1 Information on toxicological effects of the mixture Acute toxicity** Contains components that are

Contains components that are hazardous by the following routes: skin, eye, inhalation and ingestion.

routest sking eye, initiation and ingestion					
LD $_{50}$ oral toxicity rats	9200	mg/kg	Hexamine		
LD <sub>50</sub> DERMAL TOXICITY RATS	2000	ml/kg	Hexamine		
$LC_{50}$ inhl toxicity in rats		mg/kg			
LD 50 ORAL TOXICITY RATS		mg/kg			
LD <sub>50</sub> DERMAL TOXICITY RABBITS		mg/kg			
$LC_{50}$ inhl toxicity in rats		mg/kg			
Skin corrosion/ irritation Serious eye damage/ irritation Respiratory or skin sensitisation		sensitising	duct contains Hexamine which are skin g. Materials of this type are known to cause ry allergy in people.		
Germ cell mutagenicity Carcinogenicity		Not classif Not classif			

Reproductive toxicity	Not classified
STOT SE (SINGLE exposure)	Not classified
STOT RE (REPEATED exposure)	Not classified
Aspiration hazard	Not classified

## **11.2** Other information

Skin sensitisation might occur in people with hypersensitive skin.

## SECTION 12: ECOLOGICAL INFORMATION

#### 12.1 Toxicity

LL <sub>50</sub> Fish EC 50 Invertebrates EL 50 Algae	(96 hr) (48 hr) (72hr)	41000 (hexamine) 36000 (hexamine)	mg/l mg/l mg/l	Lepomis macrochirus Daphnia magna Selenastrum capricornutum
LL 50 Fish	(96 hr)		mg/l	Lepomis macrochirus
EC 50 Invertebrates	(48 hr)		mg/l	Daphnia magna
EL 50 Algae	(72hr)		mg/l	Selenastrum capricornutum

	rganisms/ effect upon activated acteria (3.0 hr)	sludge mg/l Activated sludge, domestic	
12.2	Persistence and degradability	Organic components are not readily biodegradable.	
12.3	Bioaccumulative potential	Not available	
12.4	Mobility in soil	Sinks in water. A small percentage (<1%) is water soluble. If the product enters soil, it will be mobile and may contaminate groundwater.	
12.5	Results of PBT and vPvB assessment	PBT: This mixture contains no substances considered as PBT	
12.6	Other adverse effects	vPvB: This mixture contains no substances considered as vPvB	

The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations. Do not release untreated into natural waters. This product has not been tested. The statement has been derived from products of a similar structure and composition.

## SECTION 13: DISPOSAL CONSIDERATION

## 13.1 Waste treatment methods

The preparation must be disposed of by special means. Dispose by incineration or landfill via a licensed waste disposal contractor in accordance with local and national regulations.

Contaminated packaging should be emptied as far as possible, they can then be recycled after being thoroughly cleaned by a licensed contractor. Labels must not be removed from containers until they have been cleaned. Packaging materials that are not contaminated should be treated as household waste or as recycling material.

## **13.2** Additional information

The UK Environmental Protection (Duty of Care) regulations (EP) and amendments should be noted (United Kingdom) Dispose of contents/ container according to the end user disposal procedure (P501)

#### **SECTION 14: TRANSPORT INFORMATION**

14.1	<b>UN number</b> ADR RID IMDG IATA ADN	NOT CLASSIFIED	
14.2	<b>Proper shipping name</b> ADR RID IMDG IATA ADN	NOT CLASSIFIED	
14.3	<b>Transport Hazard Class</b> ADR RID IMDG IATA ADN	NOT CLASSIFIED	
14.4	<b>Packing Group</b> ADR RID IMDG IATA ADN	NOT CLASSIFIED	
14.5	<b>Environmental hazards</b> ADR RID IMDG IATA ADN	NOT CLASSIFIED	
14.6	Special Precautions for user		

Not classified as dangerous in the meaning of transport regulations

## **14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code** Not applicable

## SECTION 15: REGULATORY INFORMATION

# 15.1 Safety, health and environmental regulations/legislation specific for the mixture

EU Legislation

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793193 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments. Employment restrictions: Observe employment restrictions for young people, for child bearing mothers/ nursing and for women of child-bearing age.

## 15.2 Chemical Safety Assessment

Exposure scenarios are not required for this mixture because it is not classified as dangerous according to Directive 67/548/EEC and assessed to be not PBT/vPvB. No risk management measures as defined by REACH have been identified.

## SECTION 16: OTHER INFORMATION \*

* SECTIONS REVISED Removal of section 2.1	2 1.2	Supersedes date	28/09/2017		
Legend PBT Persistent, Bioaccumulative and Toxic vPvB very Persistent and very Bioaccumulative					
Data sources	Supplier information				
Other hazard and risk phrases listed in this MSDSH228Flammable solid.H317May cause an allergic skin reaction.					

Training advice General industrial hygiene practice.

## Further information

This information relates only to the specific material designated and is to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness and without acceptance of liability for loss or damage attributable to reliance thereon as conditions of use lie outside our control. Users should always carry tests to establish the suitability of any products for their intended applications. No statements shall be incorporated in any contract unless expressively agreed in writing or construed as recommending the use of any product in conflict of any patent. All goods are supplied subject to Glassbond Ltd's General Conditions of Sale.