SAFETY DATA SHEET



SAUEREISEN

Safety Data Sheet according to regulation (EC) N°1907/2006, 1272/2008(CLP) & 453/2010Date Revised: 11/07/2023Product: INSULTEMP CEMENT POWDER N°16-2L

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/ MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1	Product Identifier Product name	: GLASSBOND SAUEREISEN INSULTEMP CEMENT POWDER N°16- 2L
	REACH notes	: Mixture- Substances contained in this product that are not classified as hazardous have been/will be registered for UK/EU REACH at the appropriate time.
1.2	Relevant identified uses Identified use Uses advised against	of the mixture and uses advised against. : Potting and encapsulation for electrical insulation : No other uses
1.3	Details of the supplier of Company identification	the safety data sheet Glassbond (NW) Ltd West Side Industrial Estate

	St. Helens Merseyside WA9 3AT United Kingdom
Telephone	+44(0)1744 730334
Fax	+44(0)1744 451661
Email	technical@glassbond.co.uk

 1.4
 Emergency telephone number
 +44(0)1744 730334

 (GMT, English spoken, Mon-Friday; 08.30-16.30)

Jackson Street

SECTION 2: HAZARDS IDENTIFICATION*

2.1 Classification of the mixture: calculation method

2.1.1 Regulation (EC) No. 1272/2008(CLP) Physical/Chemical NOT CLASSIFIED Human health NOT CLASSIFIED Environmental NOT CLASSIFIED

2.2 Label elements According to Regulation (EC) No. 1272/2008(CLP)

NONE

Safety Data Sheet according to regulation (EC) Nº1907/2006, 1272/2008(CLP) & 453/2010				
Date Revised : 11/07/2023 Revision : 03				
Product	: INSULTEMP CEMENT POWD	ER N°16-2L		
SIGNAL WORD (S)	NONE			

SIGNAL WORD (S)	NONE
HAZARD STATEMENT(S)	NONE

PRECAUTIONARY STATEMENT(S)

2.3 Other Hazards

PBT: This mixture contains no substances considered as PBT vPvB: This mixture contains no substances considered as vPvB

2.4 Additional For full text of H/P phrases see section 16 if not written out in full above. information

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS*

- **3.1** Substances (This product is a mixture according to EU legislation)
- **3.2** Mixture of inorganic powders

Hazardous ingredient	% w/w	CAS Nº	EC Nº	REACH Nº	CPL EC 1272/2008
Boric acid	0.5-1.5	10043-35-3	233-139-2	01-2119486683-	H360FD: may damage
				25	fertility or the unborn
					Child. 1B

3.3 Additional information

Boric acid SVHC support document (ECHA 9th June 2010) Specific concentration limits: Repr. 1B; H360FD: Conc \geq 5.5%

For full text of H/P phrases see section 16 if not written out in full above.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General advice	Immediately remove contaminated clothing, take care not to contaminate unaffected areas.
Inhalation	No emergency care anticipated, other than removal from exposure.
Eyes	Rinse immediately with running water for at least 15 minutes holding the eyelid open; consult an eye specialist.
Skin	Wash thoroughly with water and soap If skin irritation or rash occurs get medical attention (P333+P313)
Ingestion	Immediately rinse the mouth with water and drink plenty of water. Obtain medical attention immediately, show this safety data sheet.
4 D Marat increase	and summer and affects that a sub- and delayed

4.2 Most important symptoms and effects, both acute and delayed

SymptomsEye contact- May cause temporary eye irritation.RisksNo information available

4.3 Indication of any immediate medical attention and special treatment needed Treatment Treat according to symptoms (decontamination, vital functions), no known specific antidote.

SECTION 5: FIRE FIGHTING MEASURES

5.1 Extinguishing media:

Suitable: CO2 or dry chemical spray, water spray may help to reduce the temperature and extinguish flames for surrounding materials. Unsuitable: High pressure water jet.

5.2 Special hazards arising from the mixture

The powder will not burn but the packaging is combustible.

5.3 Advice for fire fighters

Use full protective clothing and self-contained breathing apparatus.

Further information: The degree of risk is governed by the burning substance and the fire conditions. Contaminated extinguishing media must be disposed of in accordance with official regulation.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal Precautions, protective equipment and emergency procedures Use personal protective clothing.

6.2 **Environmental Precautions**

Prevent contamination of soil, drains and surface waters. Do not discharge contaminated water/ fire-fighting water into drains/ surface water/ groundwater.

6.3 Methods and material for containment and cleaning up

Collect spillage by sweeping or industrial vacuum cleaner. keep in suitable closed container for disposal

6.4 Reference to other sections

For personal protection see section 8 and disposal section 13

SECTION 7: HANDLING AND STORAGE

7.1	Precautions for safe handlingAdvice on safe handlingAvoid the formation and deposition of dust. Ensure thorough ventilation of stores and work areas. For PPE see section 8 Contaminated clothing should not be allowed out of the workplace (P272). Wash contaminated clothing before reuse (P363)
	Advice on protection Normal measures for preventive fire protection against fire and explosion Take precautionary measures against static discharge if using plastic packaging.
7.2	Conditions for safe storage, including any incompatibilities Keep containers tightly closed. The powder should be stored under cover, in a well ventilated, cool, dry place and away from direct sunlight or heat. Protect from temperatures below: Not applicable Protect from temperatures above: 40 °C Suitable storage materials: Original containers. Higher temperatures and humidity will reduce the shelf life of the product and may cause the powder to form lumps. The powder will also be difficult to mix into a paste. Under normal conditions (21°C) a shelf life of 12 months or more is possible.
7.3	Specific end use(s) As per section 1.2

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits: OEL (Occupational Exposure Standard OES)

Dust	TWA STEL	mg/m ³ 10 4	ppm inhalable respirable	Note (EH40 UK) OES 8 hr (EH40 UK)
	TWA STEL			(EH40 UK) (EH40 UK)
	TWA STEL			(EH40 UK) (EH40 UK)

- 8.1.2 Biological limit value Not available
- 8.1.3 PNECs and DNELs Not available

8.2 Exposure Controls

8.2.1 Appropriate engineering controls: Effective exhaust ventilation system

8.2.2 Personal Protective Equipment:

Eye/faceTightly fitting safety goggles (e.g., EN166)

Protection

Skin Protection/
HandGloves: Chemical resistant gloves (e.g., EN374) Butyl rubber: 0.7 mm
coating thickness. Nitrile rubber: 0.4 mm coating thickness. Check with PPE
manufacturer. Replace immediately if signs of degradation are observed.OtherWear closed work clothing.

RespiratoryIn the case of insufficient ventilation or severe dustsProtectionCartridge: e.g., EN143 Type P-S (check with PPE manufacturer)

Hygiene measures General industrial hygiene practice

8.2.3 Environmental exposure controls

No special environmental precautions required

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 information on basic physical and chemical properties

Appearance Odour	Fine powder None	COLOUR Odour threshold ppm	Cream Not Available
pH Value Melting Point/freezing pt initial Boiling Point/Range Flashpoint °C	2.2 Not applicable Not applicable Not applicable	Relative Density Solubility in Water @ 20°C Partition Coefficient (n-octanol/water)	2.5 g/ml <5 % g/l Not available
EVAPORATION RATE FLAMMABILITY (SOLID/GAS) UPPER EXPLOSIVE LIMIT LOWER EXPLOSIVE LIMIT VAPOUR PRESSURE VAPOUR DENSITY (AIR=1)	Not applicable Not applicable Not Available Not Available Not applicable Not applicable	AUTO IGNITION TEMPERATURE DECOMPOSITION TEMPERATURE °C VISCOSITY mPa.s @ 25°C EXPLOSIVE PROPERTIES OXIDIZING PROPERTIES	Not available Not available Not applicable Not available Not oxidising

9.2 Other information

SECTION 10: STABILITY AND REACTIVITY

10.1 10.2 10.3	Reactivity Chemical Stability Possibility of Hazardous reactions	Stable under normal conditions. Stable under recommended storage and handling conditions. No dangerous reaction known under conditions of normal use
10.4 10.5	Conditions to Avoid Incompatible materials	No decomposition if stored and applied as directed. Acids
10.6	Hazardous Decomposition Products.	No hazardous decomposition products if stored and handled as prescribed/ indicated.

mg/kg

mg/kg

mg/kg

mg/kg

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects of the mixture

Contains components that are hazardous by the following routes: skin, eye, inhalation. Y RATS 3500-4100 mg/kg Boric acid CITY RATS ml/kg

Acute toxicity

Skin corrosion/ irritation
Serious eye damage/ irritation
Respiratory or skin sensitisation

Germ cell mutagenicity
Carcinogenicity

Irritating Irritating The product contains Boric acid which may damage fertility or harm or the unborn child Not classified Not classified Safety Data Sheet according to regulation (EC) N°1907/2006, 1272/2008(CLP) & 453/2010Date Revised: 11/07/2023Product: INSULTEMP CEMENT POWDER N°16-2L

Reproductive toxicityNot cSTOT SE (SINGLE exposure)Not cSTOT RE (REPEATED exposure)Not cAspiration hazardNot c

Not classified Not classified Not classified Not classified

11.2 Other information

Skin sensitisation might occur in people with hypersensitive skin.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

LL 50 Fish	(96 hr)	133 (Boric acid)	mg/l	Brachydanio rerio
EC 50 Invertebrates	(48 hr)		mg/l	Daphnia magna
EL 50 Algae	(72hr)		mg/l	Selenastrum capricornutum
LL 50 Fish	(96 hr)		mg/l	Lepomis macrochirus
EC 50 Invertebrates	(48 hr)		mg/l	Daphnia magna
EL 50 Algae	(72hr)		mg/l	Selenastrum capricornutum

Microorganisms/ effect upon activated EC ₅₀ Bacteria (3.0 hr)		d sludge mg/l Activated sludge, domestic	
12.2	Persistence and degradability	Not biodegradable	
12.3	Bioaccumulative potential	Not available	
12.4	Mobility in soil	Sinks in water. A small percentage (<5%) is water soluble. If the product enters soil, it will be mobile and may contaminate groundwater.	
12.5	Results of PBT and vPvB assessment	PBT: This mixture contains no substances considered as PBT	
12.6	Other adverse effects	vPvB: This mixture contains no substances considered as vPvB	

12.6 Other adverse effects

The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations. Do not release untreated into natural waters. This product has not been tested. The statement has been derived from products of a similar structure and composition.

Safety Data Sheet according to regulation (EC) N°1907/2006, 1272/2008(CLP) & 453/2010Date Revised: 11/07/2023Product: INSULTEMP CEMENT POWDER N°16-2L

SECTION 13: DISPOSAL CONSIDERATION

13.1 Waste treatment methods

The preparation must be disposed of by special means. Dispose by landfill via a licensed waste disposal contractor in accordance with local and national regulations.

Contaminated packaging should be emptied as far as possible, they can then be recycled after being thoroughly cleaned by a licensed contractor. Labels must not be removed from containers until they have been cleaned. Packaging materials that are not contaminated should be treated as household waste or as recycling material.

13.2 Additional information

The UK Environmental Protection (Duty of Care) regulations (EP) and amendments should be noted (United Kingdom) Dispose of contents/ container according to the end user disposal procedure (P501)

SECTION 14: TRANSPORT INFORMATION

14.1	UN number ADR RID IMDG IATA ADN	NOT CLASSIFIED
14.2	Proper shipping name ADR RID IMDG IATA ADN	NOT CLASSIFIED
14.3	Transport Hazard Class ADR RID IMDG IATA ADN	NOT CLASSIFIED
14.4	Packing Group ADR RID IMDG IATA ADN	NOT CLASSIFIED
14.5	Environmental hazards ADR RID IMDG IATA ADN	NOT CLASSIFIED
146		

14.6 Special Precautions for user

Not classified as dangerous in the meaning of transport regulations

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code Not applicable

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the mixture

EU Legislation

Regulation (EC) No *1907/2006* of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive *1999/45/EC* and repealing Council Regulation (EEC) No *793193* and Commission Regulation (EC) No *1488/94* as well as Council Directive *76/769/EEC* and Commission Directives *91/155/EEC*, *93/67/EEC*, *93/105/EC* and 2000/21/EC, including amendments. Regulation (EC) No *1272/2008* of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives *67/548/EEC* and *1999/45/EC*, and amending Regulation (EC) No *1907/2006* with amendments. Employment restrictions: Observe employment restrictions for young people, for child bearing mothers/ nursing and for women of child-bearing age.

Repr. 1B; H360FD: Conc ≥5.5%

15.2 Chemical Safety Assessment

Exposure scenarios are not required for this mixture because it is not classified as dangerous according to Directive 67/548/EEC and assessed to be not PBT/vPvB. No risk management measures as defined by REACH have been identified.

SECTION 16: OTHER INFORMATION *

SECTIONS REVISED	2	Supersedes date	18/02/2022				
Removal of section 2.1.2							
Legend PBT vPvB	Persistent, Bioaccumulat very Persistent and very						
Data sources	Supplier information						
Other hazard phrases listed in this MSDS H360FD May damage fertility or harm or the unborn child							
Training advice Further information	General industrial hygier Manual handling	ne practice.					

This information relates only to the specific material designated and is to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness and without acceptance of liability for loss or damage attributable to reliance thereon as conditions of use lie outside our control. Users should always carry tests to establish the suitability of any products for their intended applications. No statements shall be incorporated in any contract unless expressively agreed in writing or construed as recommending the use of any product in conflict of any patent. All goods are supplied subject to Glassbond Ltd's General Conditions of Sale.