### SAFETY DATA SHEET



Safety Data Sheet according to regulation (EC) N°1907/2006, 1272/2008(CLP) & 453/2010

Date Revised : 10/07/2023 Revision : 12

Product : GLASSBOND SAUEREISEN Nº 2 PASTE

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/ MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product Identifier

Product name : GLASSBOND SAUEREISEN N° 2 PASTE

REACH notes : Mixture- Substances contained in this product that are

not classified as hazardous have been/will be registered for

UK/EU REACH at the appropriate time.

1.2 Relevant identified uses of the mixture and uses advised against.

Identified use : High temperature adhesive and sealant

Uses advised against : No other uses

1.3 Details of the supplier of the safety data sheet

Company identification Glassbond (NW) Ltd

West Side Industrial Estate

Jackson Street St. Helens

Merseyside WA9 3AT United Kingdom

Telephone +44(0)1744 730334 Fax +44(0)1744 451661 Email technical@glassbond.co.uk

**1.4 Emergency telephone** +44(0)1744 730334

**number** (GMT, English spoken, Mon-Friday; 08.30-16.30)

### **SECTION 2: HAZARDS IDENTIFICATION\***

### 2.1 Classification of the mixture: calculation method

**2.1.1** Regulation (EC) No. 1272/2008(CLP)

Physical/Chemical NOT CLASSIFIED

Human health Eye damage 2, Skin Irritant 2

Environmental Not classified

### 2.2 Label elements According to Regulation (EC) No. 1272/2008(CLP)



GS07

Date Revised : 10/07/2023 Revision : 12

Product : GLASSBOND SAUEREISEN N° 2 PASTE

SIGNAL WORD (S) Warning

HAZARD H315 Causes skin irritation. Cat2

STATEMENT(S)

H319 Causes serious eye irritation. Cat2

PRECAUTIONARY P280 Wear protective gloves /protective clothing/eye protection/face

STATEMENT(S) protection

P305+ IF IN EYES: rinse cautiously with water for several minutes. Remove

P351+ contact lenses, if present and easy to do. Continue rinsing.

P338

### 2.3 Other Hazards

PBT: This mixture contains no substances considered as PBT vPvB: This mixture contains no substances considered as vPvB

2.4 Additional information

For full text of H/P phrases see section 16 if not written out in full above.

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS\*

**3.1** Substances (This product is a mixture according to EU legislation)

**3.2** Mixture of inorganic powders

Hazardous ingredient	% w/w	CAS N°	EC N°	REACH N°	CPL EC 1272/2008
Sodium silicate	10-15	1344-09-8	215-687-4	01-2119448725- 31	H319: Eye damage 2 H315: Skin Irritant 2

### 3.3 Additional information

For full text of H/P phrases see section 16 if not written out in full above.

Date Revised : 10/07/2023 Revision : 12

Product : GLASSBOND SAUEREISEN Nº 2 PASTE

### **SECTION 4: FIRST AID MEASURES**

### 4.1 Description of first aid measures

General Take off contaminated clothing and wash before re-use (P362), take care not to

advice contaminate unaffected areas.

Inhalation IF INHALED (aerosol) remove victim to fresh air and keep at rest in a position

comfortable for breathing.

Eyes IF IN EYES rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. (P305 + P351 + P338)

If eye irritation persists: Get medical attention(P337+P313)

Skin IF ON SKIN wash exposed areas thoroughly after handling (P264)

If skin irritation or rash occurs get medical attention (P332+P313)

Ingestion IF SWALLOWED: Rinse mouth (P301+P330). Obtain medical attention

immediately, show this safety data sheet.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms Eye contact- May cause serious eye irritation (highly alkaline).

Risks No information available

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment Treat according to symptoms (decontamination, vital functions), no known

specific antidote.

### **SECTION 5: FIRE FIGHTING MEASURES**

### 5.1 Extinguishing media:

Aqueous solution. Not combustible.

### 5.2 Special hazards arising from the mixture

The liquid will not burn but the packaging is combustible.

### 5.3 Advice for fire fighters

No special measures required.

**Further information**: The degree of risk is governed by the burning substance and the fire conditions. Contaminated extinguishing media must be disposed of in accordance with official regulation.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### 6.1 Personal Precautions, protective equipment and emergency procedures

Use personal protective clothing.

### **6.2 Environmental Precautions**

Prevent contamination of soil, drains and surface waters. Do not discharge contaminated water/ fire-fighting water into drains/ surface water/ groundwater.

### 6.3 Methods and material for containment and cleaning up

Soak up with inert absorbent (e.g., sand). Dispose of material in accordance with official regulations.

### 6.4 Reference to other sections

For personal protection see section 8 and disposal section 13

Revision: 12 Date Revised : 10/07/2023

Product : GLASSBOND SAUEREISEN Nº 2 PASTE

### **SECTION 7: HANDLING AND STORAGE**

#### 7.1 Precautions for safe handling

Advice on safe Avoid contact with skin and eyes. Practice good housekeeping.

handling Always replace cap after use. For PPE see section 8. Wash

contaminated clothing before reuse (P363)

Advice on protection Normal measures for preventive fire protection

against fire and explosion Take precautionary measures against static discharge

if using plastic packaging.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep containers tightly closed. Store locked up (P450), under cover, in a well-ventilated,

cool, dry place and away from direct sunlight or heat. Protect from freezing.

Protect from temperatures below: 4 °C Protect from temperatures above: 40 °C

Suitable storage materials: Original containers.

Higher temperatures will reduce the shelf life of the product. Under normal conditions

(21°C) a shelf life of 12 months or more is possible.

#### 7.3 Specific end use(s) As per section 1.2

### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1 **Control parameters**

### 8.1.1 Occupational Exposure Limits: OEL (Occupational Exposure Standard OES)

		mg/m³	ppm	Note
	TWA	-		(EH40 UK) OES 8 hr
	TWA	-		(EH40 UK)
	TLV-TWA	-		(ACIGH)
	STEL	-		
Sodium silicate	TWA	2.0		recommended
	TWA	-		
	STFI	_		

8.1.2 Biological limit value Not available 8.1.3 **PNECs and DNELs** Not available

#### 8.2 **Exposure Controls**

8.2.1 **Appropriate engineering controls:** Prevent formation of aerosol.

#### 8.2.2 **Personal Protective Equipment:**

Eye/face Tightly fitting safety goggles (e.g., EN166)

Protection

Skin Protection/ Gloves: Chemical resistant gloves (e.g., EN374) Butyl rubber: 0.7 mm Hand

4/8

coating thickness. Nitrile rubber: 0.4 mm coating thickness. Check with PPE

manufacturer. Replace immediately if signs of degradation are observed.

Other Wear closed work clothing.

Respiratory Not required under normal working conditions.

Protection

Print date

17/07/2023

8.2.3

Hygiene measures General industrial hygiene practice

# **Environmental exposure controls**

No special environmental precautions required

Date Revised : 10/07/2023 Revision : 12

Product : GLASSBOND SAUEREISEN N° 2 PASTE

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

### 9.1 information on basic physical and chemical properties

Appearance Odour	Paste None	COLOUR ODOUR THRESHOLD ppm	Cream Not Available
pH Value Melting Point/Freezing pt INITIAL BOILING POINT/RANGE FLASHPOINT °C	<11.5 0°C 100°C Not applicable	RELATIVE DENSITY SOLUBILITY IN WATER @ 20°C PARTITION COEFFICIENT (n-octanol/water)	2.7 g/ml Miscible Not available
EVAPORATION RATE FLAMMABILITY (SOLID/GAS) UPPER EXPLOSIVE LIMIT LOWER EXPLOSIVE LIMIT VAPOUR PRESSURE VAPOUR DENSITY (AIR=1)	Not applicable Not applicable Not Available Not Available Not applicable Not applicable	AUTO IGNITION TEMPERATURE DECOMPOSITION TEMPERATURE °C VISCOSITY mPa.s @ 25°C EXPLOSIVE PROPERTIES OXIDIZING PROPERTIES	Not available Not available Paste Not available Not oxidising

### 9.2 Other information

### **SECTION 10: STABILITY AND REACTIVITY**

10.1	Reactivity	Stable under normal conditions.
10.2	Chemical Stability	Stable under recommended storage and handling conditions.
10.3	Possibility of	No dangerous reaction known under conditions of normal use
	<b>Hazardous reactions</b>	
10.4	<b>Conditions to Avoid</b>	Freezing. Do not leave containers open.
10.5	Incompatible materials	Incompatible with strong acids. Aqueous solutions will react with aluminium, zinc, tin and their alloys evolving hydrogen gas which can form an explosive mixture with air. Can react violently if in contact with acids. Can react with sugar residues to form carbon monoxide.
10.6	Hazardous Decomposition Products	No hazardous decomposition products if stored and handled as prescribed/ indicated.

### **SECTION 11: TOXICOLOGICAL INFORMATION**

### 11.1 Information on toxicological effects of the mixture

11.1 Information on toxicological effects of the mixture							
Acute toxicity	Contains	components	that are	e hazardous	by	the	following
	routes: sk	in, eye, inha	lation.				
LD 50 ORAL TOXICITY IN RATS	3400	mg/kg	Sodium	silicate			
LD <sub>50</sub> DERMAL TOXICITY RABBITS	>5000	mg/kg	Sodium	silicate			
LC 50 INHL TOXICITY IN RATS	>2.06	g/m³	Sodium	silicate			
LD <sub>50</sub> DERMAL TOXICITY RABBITS		mg/kg					
LC 50 ORAL TOXICITY IN RATS		mg/kg					
LD <sub>50</sub> DERMAL TOXICITY RATS		mg/kg					
Skin corrosion/ irritation	Irri	tating Cat2					
	_						

Serious eye damage/ irritation
Respiratory or skin sensitisation
Germ cell mutagenicity
Carcinogenicity

Irritating Cat2
Not classified
Not classified
Not classified

Date Revised : 10/07/2023 Revision : 12

Product : GLASSBOND SAUEREISEN N° 2 PASTE

Reproductive toxicityNot classifiedSpecific Target Organ Toxicity (Repeated Exposure)Not classifiedSpecific Target Organ Toxicity (Single Exposure)Not classifiedAspiration hazardNot classified

### 11.2 Other information

### **SECTION 12: ECOLOGICAL INFORMATION**

### 12.1 Toxicity

sodium silicate LL  $_{50}$  Fish (96 hr) 1108 mg/l Brachydanio rerio EC  $_{50}$  Invertebrates (48 hr) 1700 mg/l Daphnia magna EL  $_{50}$  Algae (72hr) Not available mg/l Selenastrum capricornutum

LL 50 Fish (96 hr) mg/l Lepomis macrochirus EC 50 Invertebrates (48 hr) mg/l Daphnia magna

EL 50 Algae (72hr) mg/l Selenastrum capricornutum

Microorganisms/ effect upon activated sludge

EC<sub>50</sub> Bacteria (3.0 hr) mg/l Activated sludge, domestic

**12.2 Persistence and** Not biodegradable

degradability

**12.3** Bioaccumulative potential Not available

**12.4 Mobility in soil** Miscible with water. If the product enters soil, it will be

mobile and may contaminate groundwater.

**12.5** Results of PBT and vPvB PBT: This mixture contains no substances considered

**assessment** as PBT

vPvB: This mixture contains no substances considered

as vPvB

### 12.6 Other adverse effects

The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations. Do not release untreated into natural waters. This product has not been tested. The statement has been derived from products of a similar structure and composition.

Date Revised : 10/07/2023 Revision : 12

Product : GLASSBOND SAUEREISEN Nº 2 PASTE

### **SECTION 13: DISPOSAL CONSIDERATION**

### **13.1** Waste treatment methods

Dispose of contents/ container according to the end user disposal procedure (P501). Dispose by landfill via a licensed waste disposal contractor in accordance with local and national regulations.

Contaminated packaging should be emptied as far as possible, they can then be recycled after being thoroughly cleaned by a licensed contractor. Labels must not be removed from containers until they have been cleaned. Packaging materials that are not contaminated should be treated as household waste or as recycling material.

### 13.2 Additional information

The UK Environmental Protection (Duty of Care) regulations (EP) and amendments should be noted (United Kingdom)

### **SECTION 14: TRANSPORT INFORMATION**

14.1 UN number NOT CLASSIFIED

ADR

**RID** 

**IMDG** 

**IATA** 

ADN

**14.2 Proper shipping name** NOT CLASSIFIED

**ADR** 

RID

**IMDG** 

IATA

ADN

14.3 Transport Hazard Class NOT CLASSIFIED

**ADR** 

RID

**IMDG** 

**IATA** 

ADN

14.4 Packing Group NOT CLASSIFIED

**ADR** 

**RID** 

**IMDG** 

IATA

ADN

14.5 Environmental hazards NOT CLASSIFIED

ADR

RID

**IMDG** 

IATA

ADN

### 14.6 Special Precautions for user

Not classified as dangerous in the meaning of transport regulations

## 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code Not applicable

Print date 17/07/2023 7/8 SDS –Sauereisen No 2 Paste July 2023

Date Revised : 10/07/2023 Revision : 12

Product : GLASSBOND SAUEREISEN Nº 2 PASTE

### **SECTION 15: REGULATORY INFORMATION**

## 15.1 Safety, health and environmental regulations/legislation specific for the mixture

**EU** Legislation

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793193 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments. Employment restrictions: Observe employment restrictions for young people, for child bearing mothers/ nursing and for women of child-bearing age.

### 15.2 Chemical Safety Assessment

Assessed to be not PBT/vPvB.

### **SECTION 16: OTHER INFORMATION \***

\* SECTIONS REVISED 2 Supersedes date 28/02/2022

Removal of section 2.1.2

Legend

PBT Persistent, Bioaccumulative and Toxic VPVB very Persistent and very Bioaccumulative

Data sources Supplier information

Other hazard phrases listed in this MSDS H315 Causes skin irritation

H319 Causes serious eye irritation

Training advice General industrial hygiene practice.

Manual handling

### Further information

This information relates only to the specific material designated and is to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness and without acceptance of liability for loss or damage attributable to reliance thereon as conditions of use lie outside our control. Users should always carry tests to establish the suitability of any products for their intended applications. No statements shall be incorporated in any contract unless expressively agreed in writing or construed as recommending the use of any product in conflict of any patent. All goods are supplied subject to Glassbond Ltd's General Conditions of Sale.