SAFETY DATA SHEET



SAUEREISEN

Safety Data Sheet according to regulation (EC) N°1907/2006, 1272/2008(CLP) & 453/2010Date Revised: 11/07/2023Product: LOW EXPANSION CEMENT N°29

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/ MIXTURE AND OF THE COMPANY/UNDERTAKING

- 1.1
 Product Identifier

 Product name
 : GLASSBOND SAUEREISEN LOW EXPANSION CEMENT N°29

 REACH notes
 : Mixture- Substances contained in this product that are

 not classified as hazardous have been/will be registered for
 UK/EU REACH at the appropriate time.
- **1.2Relevant identified uses of the mixture and uses advised against.**Identified use: High temperature adhesive and sealantUses advised against: No other uses

1.3 Details of the supplier of the safety data sheet

	Company identification	Glassbond (NW) Ltd West Side Industrial Estate Jackson Street St. Helens Merseyside WA9 3AT United Kingdom
	Telephone Fax Email	+44(0)1744 730334 +44(0)1744 451661 technical@glassbond.co.uk
1.4	Emergency telephone number	+44(0)1744 730334 (GMT, English spoken, Mon-Friday; 08.30-16.30)

SECTION 2: HAZARDS IDENTIFICATION*

2.1 Classification of the mixture: calculation method

2.1.1 Regulation (EC) No. 1272/2008(CLP)
Physical/ChemicalNOT CLASSIFIED
Acute toxicity 4 (oral, skin, inhalation)

Environmental NOT CLASSIFIED

2.2 Label elements According to Regulation (EC) No. 1272/2008(CLP)



Acute toxicity Oral 4 Acute toxicity Skin 4 Acute toxicity Inhalation 4

Safety Data Sheet according to regulation (EC) N°1907/2006, 1272/2008(CLP) & 453/2010 Date Revised : 11/07/2023 Revision : 19 Product : LOW EXPANSION CEMENT N°29

SIGNAL WORD (S)		Warning	
HAZARD STATEMENT(S)	H302 H312 H332	Harmful if swallowed Harmful in contact with skin Harmful if inhaled	Acute Tox 4 Acute Tox 4 Acute Tox 4
PRECAUTIONARY STATEMENT(S)	P261 P280 P312	Avoid breathing dust Wear protective gloves /protective clothing/eye protection/face protection Immediately call a POISON CENTRE or doctor if you	

2.3 Other Hazards

PBT: This mixture contains no substances considered as PBT

vPvB: This mixture contains no substances considered as vPvB

2.4 Additional For full text of H/P phrases see section 16 if not written out in full above.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS*

- **3.1** Substances (This product is a mixture according to EU legislation)
- **3.2** Mixture of inorganic powders

Hazardous ingredient	% w/w	CAS Nº	EC N°	REACH N°	CPL EC 1272/2008
Sodium silico fluoride	10=20	16893-85-9	240-934-8	01-2119519245- 43-0002	H331: Acute Tox 3 (inhalation) H311: Acute Tox 3 (dermal) H301: Acute Tox 3 (oral)

3.3 Additional information

For full text of H/P phrases see section 16 if not written out in full above.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General advice	Take off contaminated clothing and wash before re-use (P362). Take care not to contaminate unaffected areas.
Inhalation	IF INHALED remove victim to fresh air and keep at rest in a position comfortable for breathing. (P304+P340)
Eyes	IF IN EYES rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305 + P351 + P338) If eye irritation persists: Get medical attention (P337+P313)
Skin	Wash hands thoroughly after handling (P264) If skin irritation or rash occurs get medical attention (P333+P313)
Ingestion	IF SWALLOWED: Rinse mouth (P330). Call a POISON CENTRE or doctor if you feel unwell (P301+P312). Show this safety data sheet.
4.2 Most impo Symptoms Risks	rtant symptoms and effects, both acute and delayed Eye contact- May cause temporary eye irritation. No information available

4.3 Indication of any immediate medical attention and special treatment needed Treatment Treat according to symptoms (decontamination, vital functions), no known specific antidote.

SECTION 5: FIRE FIGHTING MEASURES

5.1 Extinguishing media:

Suitable: CO2 or dry chemical spray, water spray may help to reduce the temperature and extinguish flames for surrounding materials. Unsuitable: High pressure water jet.

5.2 Special hazards arising from the mixture

The powder will not burn but the packaging is combustible.

5.3 Advice for fire fighters

Use full protective clothing and self-contained breathing apparatus.

Further information: The degree of risk is governed by the burning substance and the fire conditions. Contaminated extinguishing media must be disposed of in accordance with official regulation.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal Precautions, protective equipment and emergency procedures Use personal protective clothing.

6.2 Environmental Precautions

Prevent contamination of soil, drains and surface waters. Do not discharge contaminated water/ fire-fighting water into drains/ surface water/ groundwater.

6.3 Methods and material for containment and cleaning up

Collect spillage by sweeping or industrial vacuum cleaner. keep in suitable closed container for disposal

6.4 Reference to other sections

For personal protection see section 8 and disposal section 13

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling							
Advice on safe	Avoid the formation and deposition of dust. Use only						
handling	outdoors or in a well-ventilated area (P271). For PPE see						
	section 8. Take off contaminated clothing and wash before						
	re-use (P362).						
Advice on protection	Normal measures for preventive fire protection						
against fire and explosion	Take precautionary measures against static discharge						
	if using plastic packaging.						
	Advice on safe handling Advice on protection						

7.2 Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep containers tightly closed. (P403+P233) Keep cool and dry, away from direct sunlight or heat. Protect from temperatures below: Not applicable Protect from temperatures above: 40 °C Suitable storage materials: Original containers. Higher temperatures and humidity will reduce the shelf life of the product and may

cause the powder to form lumps. The powder will also be difficult to mix into a paste. Under normal conditions (21°C) a shelf life of 12 months or more is possible.

7.3 Specific end use(s) As per section 1.2

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits: OEL (Occupational Exposure Standard OES)

		mg/m³	ppm	Note
	TWA	-		(EH40 UK) OES 8 hr
	TWA			(EH40 UK)
	TLV-TWA			(ACIGH)
	STEL	-		(EH40 UK)
Sodium silicofluoride	TWA	2.5		ÓSHA
	TWA			
	STEL	-		

- 8.1.2 Biological limit value Not available
- 8.1.3 PNECs and DNELs Not available

8.2 Exposure Controls

8.2.1 Appropriate engineering controls: Effective exhaust ventilation system

8.2.2 Personal Protective Equipment:

Eye/face Tightly fitting safety goggles (e.g., EN166)

Protection

Skin Protection/
HandGloves: Chemical resistant gloves (e.g., EN374) Butyl rubber: 0.7 mm
coating thickness. Nitrile rubber: 0.4 mm coating thickness. Check with PPE
manufacturer. Replace immediately if signs of degradation are observed.OtherWear closed work clothing.

RespiratoryIn the case of insufficient ventilation or severe dustsProtectionCartridge: e.g., EN143 Type P-S (check with PPE manufacturer)

Hygiene measures General industrial hygiene practice

8.2.3 Environmental exposure controls

Local exhaust ventilation and take precautionary measures against static discharge.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance Odour	Fine powder None	COLOUR Odour threshold ppm	Cream Not Available
pH Value Melting Point/freezing pt initial Boiling Point/Range Flashpoint°C	Not applicable Not applicable Not applicable Not applicable	Relative Density Solubility in Water @ 20°C Partition Coefficient (n-octanol/water)	2.7 g/ml 14g/100g Not available
EVAPORATION RATE FLAMMABILITY (SOLID/GAS) UPPER EXPLOSIVE LIMIT LOWER EXPLOSIVE LIMIT VAPOUR PRESSURE VAPOUR DENSITY (AIR=1)	Not applicable Not applicable Not Available Not Available Not applicable Not applicable	AUTO IGNITION TEMPERATURE DECOMPOSITION TEMPERATURE °C VISCOSITY mPa.s @ 25°C EXPLOSIVE PROPERTIES OXIDIZING PROPERTIES	Not available Not available Not applicable Not available Not oxidising

9.2 Other information

SECTION 10: STABILITY AND REACTIVITY

10.1 10.2 10.3	Reactivity Chemical Stability Possibility of Hazardous reactions	Stable under normal conditions. Stable under recommended storage and handling conditions. No dangerous reaction known under conditions of normal use
10.4 10.5	Conditions to Avoid Incompatible materials	No decomposition if stored and applied as directed. Incompatible with strong acids, alkaline materials, iron containing materials. It may react with strong mineral acids to liberate hydrogen fluoride or hydrofluoric acid which are highly toxic and corrosive.
10.6	Hazardous Decomposition Products.	No hazardous decomposition products if stored and handled as prescribed/ indicated.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects of the mixture

Acute toxicity	Containc	components	that	aro	hazardouc	hv	tho	following
Acute toxicity		kin, eye, inhal			Hazaruous	Dy	the	Tonowing
$\begin{array}{l} LD \ {}_{50} \ \text{Oral toxicity mouse} \\ LD \ {}_{50} \ \text{Oral toxicity in rats} \\ LD \ {}_{50} \ \text{Oral toxicity rabbits} \\ LC \ {}_{50} \ \text{Ormal toxicity in rats} \\ LD \ {}_{50} \ \text{Dermal toxicity rabbits} \\ LC \ {}_{50} \ \text{Oral toxicity in rats} \\ LD \ {}_{50} \ \text{Oral toxicity in rats} \\ LD \ {}_{50} \ \text{Oral toxicity rats} \\ \end{array}$	70 125 500	mg/kg mg/kg mg/kg mg/kg mg/kg mg/kg			Sodium silic Sodium silic Sodium silic	oflu	oride	-
Skin corrosion/ irritation Serious eye damage/ irritati Respiratory or skin sensitisa Germ cell mutagenicity Carcinogenicity	on Ma tion No	ay cause irrita ay cause irrita ot classified ot classified						

Safety Data Sheet according to regulation (EC) N°1907/2006, 1272/2008(CLP) & 453/2010 Date Revised : 11/07/2023 Revision : 19 Product : LOW EXPANSION CEMENT N°29

Reproductive toxicity

Specific Target Organ Toxicity (Repeated Exposure) Specific Target Organ Toxicity (Single Exposure) Aspiration hazard Not classified Not classified Not classified Not classified

11.2 Other information

Continuous or intermittent exposure to inorganic fluorides can lead to appreciable accumulation of fluoride in bone, and, to development of osteosclerosis and other bone changes.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

LL 50 Fish EC 50 Invertebrates EL 50 Algae	(96 hr) (48 hr) (72hr)		mg/l	Brachydanio rerio Daphnia magna Selenastrum capricornutum
		Sodium silicofluoride		
LL 50 Fish EC 50 Invertebrates EL 50 Algae	· · ·	37.5 35.4 18.5	mg/l mg/l mg/l	Lepomis macrochirus Daphnia magna Selenastrum capricornutum

	rganisms/ effect acteria	upon activated (3.0 hr)	sludge	mg/l	Activated sludge, domestic
12.2	Persistence a degradability		Not biodegra	dable	
12.3	Bioaccumulat	tive potential	Not available		
12.4	Mobility in so	ji l		e produo	mall percentage (~30%) is water ct enters soil, it will be mobile and undwater.
12.5	Results of Plassessment	BT and vPvB	PBT: This mix PBT	xture coi	ntains no substances considered as
12.6	Other advers	se effects	vPvB: This m as vPvB	ixture co	ontains no substances considered

The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations. Do not release untreated into natural waters. This product has not been tested. The statement has been derived from products of a similar structure and composition.

SECTION 13: DISPOSAL CONSIDERATION

13.1 Waste treatment methods

The preparation must be disposed of by special means. Dispose by landfill via a licensed waste disposal contractor in accordance with local and national regulations.

Contaminated packaging should be emptied as far as possible, they can then be recycled after being thoroughly cleaned by a licensed contractor. Labels must not be removed from containers until they have been cleaned. Packaging materials that are not contaminated should be treated as household waste or as recycling material.

13.2 Additional information

The UK Environmental Protection (Duty of Care) regulations (EP) and amendments should be noted (United Kingdom) Dispose of contents/ container according to the end user disposal procedure (P501)

SECTION 14: TRANSPORT INFORMATION

14.1	UN number ADR RID IMDG IATA ADN	NOT CLASSIFIED
14.2	Proper shipping name ADR RID IMDG IATA ADN	NOT CLASSIFIED
14.3	Transport Hazard Class ADR RID IMDG IATA ADN	NOT CLASSIFIED
14.4	Packing Group ADR RID IMDG IATA ADN	NOT CLASSIFIED
14.5	Environmental hazards ADR RID IMDG IATA ADN	NOT CLASSIFIED
14.6	Special Precautions for use Not classified as dangerous in	r the meaning of transport regulations

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code Not applicable

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the mixture

EU Legislation

Commission Regulation (EC) No 474/2014 of 8th May 2014 amending Annex XVII to Regulation (EC) No 1907/2006

Commission Regulation (EC) No 944/2013 of 2nd October 2013 (5th ATP) amending Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures.

Waste Framework Directive 2008/98/EC

Employment restrictions: Observe employment restrictions for young people, for child bearing mothers/ nursing and for women of child-bearing age.

15.2 Chemical Safety Assessment

Assessed to be not PBT/vPvB.

SECTION 16: OTHER INFORMATION *

* SECTIONS REVISED	2	Supersedes date	13/01/2022
Removal of section 2.1.2			

PBT vPvB	Persistent, Bioaccumulative and Toxic very Persistent and very Bioaccumulative
Data sources	Supplier information
Other hazard phrases	listed in this MSDS
H301	Toxic if swallowed
H311	Toxic in contact with skin

H331 Toxic by inhalation

Training advice	General industrial hygiene practice. Do not eat, drink or smoke when
	using this product (P270)
	Manual handling

Further information

Legend

This information relates only to the specific material designated and is to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness and without acceptance of liability for loss or damage attributable to reliance thereon as conditions of use lie outside our control. Users should always carry tests to establish the suitability of any products for their intended applications. No statements shall be incorporated in any contract unless expressively agreed in writing or construed as recommending the use of any product in conflict of any patent. All goods are supplied subject to Glassbond Ltd's General Conditions of Sale.