# SAFETY DATA SHEET



Safety Data Sheet according to regulation (EC) N°1907/2006, 1272/2008(CLP) & 453/2010

Date Revised : 11/07/2023 Revision : 17

Product : **ELECTROTEMP CEMENT POWDER N°8** 

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/ MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product Identifier

Product name : GLASSBOND SAUEREISEN ELECTROTEMP CEMENT POWDER N° 8
REACH notes : Mixture- Substances contained in this product that are

not classified as hazardous have been/will be registered for

UK/EU REACH at the appropriate time.

1.2 Relevant identified uses of the mixture and uses advised against.

Identified use : Potting and encapsulation for electrical insulation

Uses advised against : No other uses

1.3 Details of the supplier of the safety data sheet

Company identification Glassbond (NW) Ltd

West Side Industrial Estate

Jackson Street St. Helens

Merseyside WA9 3AT United Kingdom

Telephone +44(0)1744 730334 Fax +44(0)1744 451661 Email technical@glassbond.co.uk

**1.4** Emergency telephone +44(0)1744 730334

**number** (GMT, English spoken, Mon-Friday; 08.30-16.30)

#### **SECTION 2: HAZARDS IDENTIFICATION\***

### 2.1 Classification of the mixture: calculation method

**2.1.1** Regulation (EC) No. 1272/2008(CLP)

Physical/Chemical NOT CLASSIFIED Human health NOT CLASSIFIED Environmental NOT CLASSIFIED

# 2.2 Label elements According to Regulation (EC) No. 1272/2008(CLP)

**NONE** 

Date Revised : 11/07/2023 Revision : 17

Product : ELECTROTEMP CEMENT POWDER N°8

SIGNAL WORD (S) NONE

HAZARD NONE

STATEMENT(S)

PRECAUTIONARY STATEMENT(S)

#### 2.3 Other Hazards

PBT: This mixture contains no substances considered as PBT vPvB: This mixture contains no substances considered as vPvB

**2.4 Additional** For full text of H/P phrases see section 16 if not written out in full above. **information** 

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS\*

**3.1** Substances. (This product is a mixture according to EU legislation.)

**3.2** Mixture of inorganic powders

Hazardous	%	CAS N°	EC N°	REACH N°	CPL
ingredient	w/w				EC 1272/2008
Boric acid	0.5-1.5	10043-35-3	233-139-2	01-2119486683-	H360FD: may damage
				25	fertility or the unborn
					Child. 1B

#### 3.3 Additional information

Boric acid SVHC support document (ECHA  $9^{th}$  June 2010) Specific concentration limits: Repr. 1B; H360FD: Conc  $\geq 5.5\%$ 

Date Revised : 11/07/2023 Revision : 17

Product : **ELECTROTEMP CEMENT POWDER N°8** 

#### **SECTION 4: FIRST AID MEASURES**

### 4.1 Description of first aid measures

General advice Immediately remove contaminated clothing, (P362) take care not to

contaminate unaffected areas.

Inhalation No emergency care anticipated, other than removal from exposure.

Eyes IF IN EYES Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. continue flushing. (P305 + P351 + P338). If

eye irritation persists: Get medical attention (P337 + P313)

Skin Wash thoroughly with water and soap(P264)

If skin irritation or rash occurs get medical attention (P333+P313)

Ingestion If swallowed: Rinse mouth (P330). Call a poison control center or

physician if you feel unwell (P301 + P312). Show this safety data sheet

# 4.2 Most important symptoms and effects, both acute and delayed

Symptoms Eye contact- May cause temporary eye irritation.

Risks No information available

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment Treat according to symptoms (decontamination, vital functions), no known

specific antidote.

#### **SECTION 5: FIRE FIGHTING MEASURES**

#### 5.1 Extinguishing media:

Suitable: CO2 or dry chemical spray, water spray may help to reduce the temperature and

extinguish flames for surrounding materials.

Unsuitable: High pressure water jet.

### 5.2 Special hazards arising from the mixture

The powder will not burn but the packaging is combustible.

### 5.3 Advice for fire fighters

Use full protective clothing and self-contained breathing apparatus.

**Further information**: The degree of risk is governed by the burning substance and the fire conditions. Contaminated extinguishing media must be disposed of in accordance with official regulation.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

# 6.1 Personal Precautions, protective equipment and emergency procedures

Use personal protective clothing. See section 8

# 6.2 Environmental Precautions

Prevent contamination of soil, drains and surface waters. Do not discharge contaminated water/ fire-fighting water into drains/ surface water/ groundwater.

# 6.3 Methods and material for containment and cleaning up

Collect spillage by sweeping or industrial vacuum cleaner. keep in suitable closed container for disposal

# 6.4 Reference to other sections

For personal protection see section 8 and disposal section 13

Date Revised : 11/07/2023 Revision : 17

Product : **ELECTROTEMP CEMENT POWDER N°8** 

#### **SECTION 7: HANDLING AND STORAGE**

# 7.1 Precautions for safe handling

Advice on safe handling Avoid the formation and deposition of dust. Ensure thorough

ventilation of stores and work areas. For PPE see section 8 Contaminated clothing should not be allowed out of the workplace (P272). Wash contaminated clothing before reuse

(P363)

Advice on protection Normal measures for preventive fire protection

against fire and explosion Take precautionary measures against static discharge

if delivered in plastic packaging.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep containers tightly closed. The powder should be stored under cover, in a well ventilated, cool, dry place and away from direct sunlight or heat.

Protect from temperatures below: Not applicable

Protect from temperatures above: 40 °C

Suitable storage materials: Original containers.

Higher temperatures and humidity will reduce the shelf life of the product and may cause the powder to form lumps. The powder will also be difficult to mix into a paste.

Under normal conditions (21°C) a shelf life of 12 months or more is possible.

#### 7.3 Specific end use(s) As per section 1.2

#### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1 Control parameters

# 8.1.1 Occupational Exposure Limits: OEL (Occupational Exposure Standard OES)

Dust	TWA STEL	mg/m <sup>3</sup> 10 4	ppm inhalable respirable	(EH40 UK) OES 8 hr (EH40 UK)
	TWA STEL			(EH40 UK) (EH40 UK)
	TWA STEL			(EH40 UK) (EH40 UK)

# 8.1.2 Biological limit value Not available8.1.3 PNECs and DNELs Not available

#### 8.2 Exposure Controls

**8.2.1** Appropriate engineering controls: Effective exhaust ventilation system

# **8.2.2 Personal Protective Equipment:**

Eye/face Tightly fitting safety goggles (e.g., EN166)

Protection

Skin Protection/ Gloves: Chemical resistant gloves (e.g., EN374) Butyl rubber: 0.7 mm coating thickness. Nitrile rubber: 0.4 mm coating thickness. Check with PPE

manufacturer. Replace immediately if signs of degradation are observed.

Other Wear closed work clothing.

Respiratory In the case of insufficient ventilation or severe dusts

Protection Cartridge: e.g., EN143 Type P-S (check with PPE manufacturer)

Hygiene measures General industrial hygiene practice

# 8.2.3 Environmental exposure controls

No special environmental precautions required

Date Revised : 11/07/2023 Revision : 17

Product : **ELECTROTEMP CEMENT POWDER N°8** 

#### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1 information on basic physical and chemical properties

Appearance Odour	Fine powder None	COLOUR ODOUR THRESHOLD ppm	Cream Not Available
pH Value Melting Point/Freezing pt INITIAL BOILING POINT/RANGE FLASHPOINT °C	2.2 Not applicable Not applicable Not applicable	RELATIVE DENSITY SOLUBILITY IN WATER @ 20°C PARTITION COEFFICIENT (n-octanol/water)	2.5 g/ml <15 % g/l Not available
EVAPORATION RATE FLAMMABILITY (SOLID/GAS) UPPER EXPLOSIVE LIMIT LOWER EXPLOSIVE LIMIT VAPOUR PRESSURE VAPOUR DENSITY (AIR=1)	Not applicable Not applicable Not Available Not Available Not applicable Not applicable	AUTO IGNITION TEMPERATURE DECOMPOSITION TEMPERATURE °C VISCOSITY mPa.s @ 25°C EXPLOSIVE PROPERTIES OXIDIZING PROPERTIES	Not available Not available Not applicable Not available Not oxidising

#### 9.2 Other information

#### SECTION 10: STABILITY AND REACTIVITY

10.1	Reactivity	Stable under normal conditions.
10.2	Chemical Stability	Stable under recommended storage and handling conditions.
10.3	Possibility of	No dangerous reaction known under conditions of normal use
	<b>Hazardous reactions</b>	
10.4	<b>Conditions to Avoid</b>	No decomposition if stored and applied as directed.
10.5	Incompatible	Acids
	materials	
10.6	Hazardous	No hazardous decomposition products if stored and handled as
	Decomposition	prescribed/ indicated.
	Products.	

### **SECTION 11: TOXICOLOGICAL INFORMATION**

# 11.1 Information on toxicological effects of the mixture

Acute toxicity	Contains comporroutes: skin, eye		hazardous	by th	e following
LD 50 ORAL TOXICITY RATS	3500-4100 mg	/kg Boric aci	d		
LD <sub>50</sub> DERMAL TOXICITY RATS	ml/	kg			
LC 50 INHL TOXICITY IN RATS	mg	/kg			
LD 50 ORAL TOXICITY RATS	mg	/kg			
LD <sub>50</sub> DERMAL TOXICITY RABBITS		/kg			
$LC_{50}$ INHL TOXICITY IN RATS	mg	/kg			

Skin corrosion/ irritation	Dust may cause Irritation
Serious eye damage/ irritation	Dust may cause Irritation
Respiratory or skin sensitisation	Not classified
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified

Date Revised : 11/07/2023 Revision: 17

Product : ELECTROTEMP CEMENT POWDER N°8

Reproductive toxicity The product contains Boric acid which may damage

fertility or harm or the unborn child

STOT SE (SINGLE exposure) Not classified **STOT RE (REPEATED exposure)** Aspiration hazard

Not classified Not classified

#### 11.2 Other information

Skin sensitisation might occur in people with hypersensitive skin.

#### **SECTION 12: ECOLOGICAL INFORMATION**

#### 12.1 **Toxicity**

LL <sub>50</sub> Fish EC <sub>50</sub> Invertebrates EL <sub>50</sub> Algae	(96 hr) (48 hr) (72hr)	133 (Boric acid)	mg/l	Brachydanio rerio Daphnia magna Selenastrum capricornutum
LL <sub>50</sub> Fish EC <sub>50</sub> Invertebrates EL <sub>50</sub> Algae	(96 hr) (48 hr) (72hr)		mg/l	Lepomis macrochirus Daphnia magna Selenastrum capricornutum

Microorganisms/ effect upon activated sludge

EC<sub>50</sub> Bacteria (3.0 hr)mg/l Activated sludge, domestic

#### 12.2 Persistence and degradability

Not bio degradable

#### 12.3 **Bioaccumulative potential** Not available

#### Mobility in soil 12.4 Sinks in water. A small percentage (<15%) is water

soluble. If the product enters soil, it will be mobile and

may contaminate groundwater.

#### Results of PBT and vPvB 12.5

assessment

PBT: This mixture contains no substances considered as

**PBT** 

vPvB: This mixture contains no substances considered

as vPvB

#### 12.6 Other adverse effects

The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations. Do not release untreated into natural waters. This product has not been tested. The statement has been derived from products of a similar structure and composition.

Date Revised : 11/07/2023 Revision : 17

Product : ELECTROTEMP CEMENT POWDER N°8

#### **SECTION 13: DISPOSAL CONSIDERATION**

#### **13.1** Waste treatment methods

The preparation must be disposed of by special means. Dispose by landfill via a licensed waste disposal contractor in accordance with local and national regulations.

Contaminated packaging should be emptied as far as possible, they can then be recycled after being thoroughly cleaned by a licensed contractor. Labels must not be removed from containers until they have been cleaned. Packaging materials that are not contaminated should be treated as household waste or as recycling material.

#### 13.2 Additional information

The UK Environmental Protection (Duty of Care) regulations (EP) and amendments should be noted (United Kingdom)

Dispose of contents/ container according to the end user disposal procedure (P501)

#### **SECTION 14: TRANSPORT INFORMATION**

#### **14.1 UN number** NOT CLASSIFIED

ADR

RID

**IMDG** 

IATA

ADN

#### **14.2 Proper shipping name** NOT CLASSIFIED

ADR

RID

**IMDG** 

**IATA** 

ADN

### 14.3 Transport Hazard Class NOT CLASSIFIED

ADR

RID

**IMDG** 

IATA

ADN

# 14.4 Packing Group NOT CLASSIFIED

ADR

RID

IMDG

**IATA** 

ADN

## 14.5 Environmental hazards NOT CLASSIFIED

ADR

RID

**IMDG** 

IATA

ADN

#### 14.6 Special Precautions for user

Not classified as dangerous in the meaning of transport regulations

Date Revised : 11/07/2023 Revision : 17

Product : ELECTROTEMP CEMENT POWDER N°8

# 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code

Not applicable

#### **SECTION 15: REGULATORY INFORMATION**

# 15.1 Safety, health and environmental regulations/legislation specific for the mixture

**EU** Legislation

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793193 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments. Employment restrictions: Observe employment restrictions for young people, for child bearing mothers/ nursing and for women of child-bearing age.

Boric acid SVHC support document (ECHA  $9^{th}$  June 2010 Specific concentration limits: Repr. 1B; H360FD: Conc  $\geq 5.5\%$ 

## 15.2 Chemical Safety Assessment

Exposure scenarios are not required for this mixture because it is not classified as dangerous according to Directive 67/548/EEC and assessed to be not PBT/ vPvB. No risk management measures as defined by REACH have been identified.

#### **SECTION 16: OTHER INFORMATION \***

\* SECTIONS REVISED 2 Supersedes date 04/02/2022

Removal of section 2.1.2

Legend

PBT Persistent, Bioaccumulative and Toxic VPVB very Persistent and very Bioaccumulative

Data sources Supplier information

Other hazard phrases listed in this MSDS

H360FD May damage fertility or harm or the unborn child

Training advice General industrial hygiene practice.

Manual handling

Further information

Print date 23/10/2023

This information relates only to the specific material designated and is to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness and without acceptance of liability for loss or damage attributable to reliance thereon as conditions of use lie outside our control. Users should always carry tests to establish the suitability of any products for their intended applications. No statements shall be incorporated in any contract unless expressively agreed in writing or construed as recommending the use of any product in conflict of any patent. All goods are supplied subject to Glassbond Ltd's General Conditions of Sale.